INDEX TO VOLUME 19

AUTHOR INDEX

ABELSON, D., and BORCHERDS, D. A.: Plasma cortisol levels in man following oral and intravenous administration of cortisol, 219
ALBERT, A., and ROSEMBERG, E.: Assay of human pituitary gonadotropin from male and postmenopausal urine, 518
——, *see* BLACKBURN, C. M., 603
——, *see* MAYBERRY, W. E., 1553
ALEXANDER, F., *see* DAUGHADAY, W. H., 743
——, *see* REISS, E., 1212
ALFHEIM, A., *see* HOBKIRK, R., 1352
ARAI, Y., *see* ELRICK, H., 1274
——, *see* HLAD, C. J., JR., 1258
ARCHIBALD, R. M.; FINBY, N., and DE VITO, F.: Endocrine significance of short metacarpals, 1312
ARGÜELLES, A. E.; SALABER, J.; POMES OTTONE, J. P. A.; CHEKHERDEMIAN, M., and RICCA, A.: Electrophoretic alterations in serum proteins of patients with hirsutism, 252
ARKINS, J. A., *see* EWER, R. W., 1037
ARONS, W. L., and HYDOVITZ, D.: The serum pattern of thyroid hormones in euthyroidism and hyperthyroidism, 548
ASSIS, L. M., *see* FLOSI, A. Z., 239
AXELROD, D. R.: Idiopathic hypoparathyroidism: unusual response to vitamin D, 590

BAKKE, J. L., and LAWRENCE, N. L.: The thyroid-stimulating hormone content of the human hypophysis: a preliminary report, 35
——, *see* HEIDEMAN, M. L., JR., 831
BALLS, K. F.; NICHOLSON, J. T. L.; GOODMAN, H. L., and TOUCHSTONE, J. C.: Functioning islet-cell carcinoma of the pancreas with Cushing's syndrome, 1134
BARON, D. N., *see* CURLING, K. J., 717
BARROS, R. P., *see* FLOSI, A. Z., 239
BARTTER, F. C., *see* SCHEDL, H. P., 921
BAUER, H. G.; MCGAVACK, T. H., and SWELL, I.: Depression of the serum cholesterol level by triiodothyropropionic acid (Letter to the Editor), 490
BAULIEU, E.-E.; ROBEL, P.; SIGUIER, F., and JAYLE, M.-F.: Metabolic observations in a case of pure primary hyperaldosteronism, 1081
BEAHRS, O. H., *see* HAYLES, A. B., 138
——, *see* MEIER, D. W., 162
——, *see* WOOLNER, L. B., 53
BECK, J., *see* VENNING, E. H., 403
BECKER, D. V.: The effects of hypophysectomy on certain parameters of thyroid function in two patients with Graves' disease (Letter to the Editor), 840
——, *see* WERNER, S. C., 953
BEIERWALTES, W. H.; DOBSON, V. N., and WHEELER, A. H.: Thyroid autoantibodies in the families of cretins, 179
——, *see* BOLLET, A. J., 257
——, *see* CARR, E. A., JR., 1, 1282
——, *see* RAMAN, G., 228
BELL, H. G., *see* SHELINE, G. E., 127
BENUA, R. S.; KUMAOKA, S.; LEEPER, R. D., and RAWSON, R. W.: The effect of *dl*-3,3′,5′-triiodothyronine in Graves' disease (Letter to the Editor), 1344
——, and LIPSETT, M. B.: The effect of iodide on the action of thyrotropin in the hypophysectomized patient, 19
BÉRAUD, T., *see* VANNOTTI, A., 466
BERGENSTAL, D. M., *see* LUBS, H. A., JR., 1110
BERNSTEIN, D. S., and MOORE, F. D.: Hypoparathyroidism: report of a case successfully treated with intravenous vitamin D_2, 224
BERTRAND, J., *see* MIGEON, C. J., 1411
BETHUNE, J. E., *see* MEAKIN, J. W., 1491
BETTS, J. S., *see* CARR, E. A., JR., 1
BIGOZZI, U.; BORGHI, A.; GIUSTI, G.; MORABITO, F., and TOCCAFONDI, R.: An unusual case of adrenal dysfunction in the male (Letter to the Editor), 1506
BLACK, B. M., *see* MCCONAHEY, W. M., 45
BLACKBURN, C. M., and ALBERT, A.: Effects of 2-methyl-dihydrotestosterone and of testosterone on human pituitary gonadotropin (Letter to the Editor), 603
BLAKEMORE, W. S., *see* TOUCHSTONE, J. C., 487, 812
BLOISE, W., *see* FLOSI, A. Z., 239
BOLLET, A. J., and BEIERWALTES, W. H.: Acid mucopolysaccharide in the thyroid gland, 257
BONGIOVANNI, A. M.; DI GEORGE, A. M., and GRUMBACH, M. M.: Masculinization of the female infant associated with estrogenic therapy alone during gestation: four cases (Letter to the Editor), 1004
——, EBERLEIN, W. R.; SMITH, J. D., and MCPADDEN, A. J.: The urinary excretion of three C-21 methyl corticosteroids in the adrenogenital syndrome, 1608
BORCHERDS, D. A., *see* ABELSON, D., 219
BORGHI, A., *see* BIGOZZI, U., 1506
BORGLIN, N. E.: Serum glutamic-oxalacetic transaminase (SGO-T) and serum glutamic-

GRUMBACH, M. M.; DUCHARME, J. R., and MOLOSHOK, R. E.: On the fetal masculinizing action of certain oral progestins, 1369
——, *see* BONGIOVANNI, A. M., 1004
GURLING, K. J.; BARON, D. N., and RADLEY SMITH, E. J.: Thyroid adenomas and thyrotoxicosis in patients with hypopituitarism following hypophysectomy, 717

HADDAD, H. M., and SIDBURY, J. B., JR.: Defect of the iodinating system in congenital goitrous cretinism: report of a case with biochemical studies, 1446
HAMBERGER, C.-A.; HAMMER, G.; NORLEN, G., and SJÖGREN, B.: Hypophysectomy in acromegaly (Letter to the Editor), 1500
HAMILTON, J. B.; BUNCH, L. D., and MESTLER, G. E.: Urinary 17-hydroxycorticosteroids and 17-ketosteroids in castrated *vs.* intact men: supplementary comparisons in feebleminded *vs.* mentally normal men, 535
——; BUNCH, L., and MESTLER, G. E.: Urinary 17-ketosteroids in castrated *vs.* noncastrated men (Letter to the Editor), 1680
HAMMER, G., *see* HAMBERGER, C.-A., 1500
HAMOLSKY, M. W.; GOLODETZ, A., and FREEDBERG, A. S.: The plasma protein-thyroid hormone complex in man. III. Further studies on the use of the *in vitro* red blood cell uptake of I^{131}-*l*-triiodothyronine as a diagnostic test of thyroid function, 103
——, *see* KURLAND, G. S., 92
HANDLEY, C. A., *see* HEIDER, C. H., 1471
HARRISON, C. E., *see* REEVES, R. L., 1651
HASKINS, A. L.: Intravenous progesterone in the anovulatory woman (Letter to the Editor), 732
HAWK, W. A., *see* HAZARD, J. B., 152
HAYES, M. A., *see* HERRMANN, W. L., 849
HAYLES, A. B.; KENNEDY, R. L. J.; BEAHRS, O. H., and WOOLNER, L. B.: Exophthalmic goiter in children, 138
——, and POWER, M. H.: Failure of insulin to induce a change in rate of growth in a 14-year-old boy with anterior pituitary insufficiency, 248
——, *see* GARDNER, J. U., 638
HAZARD, J. B.; HAWK, W. A., and CRILE, G., JR.: Medullary (solid) carcinoma of the thyroid—A clinicopathologic entity, 152
HEFFERNAN, B. T., *see* EWER, R. W., 1037
HEIDEMAN, M. L., JR.: Transient recurrent gynecomastia after removal of an estrogen-secreting interstitial-cell tumor of the testis, 1331
——; BAKKE, J. L., and LAWRENCE, N. L.: Separation of human thyrotropin from plasma by ion exchange chromatography, 831
HEIDER, C. H.; HANDLEY, C. A., and FORD, R. V., with the technical assistance of HUFF, J. A., and WALDEN, E. B.: Urinary 17-ketosteroid and 17-ketogenic steroid excretion in Cushing's syndrome, 1471
HELLMAN, L.; BRADLOW, H. L.; ZUMOFF, B.; FUKUSHIMA, D. K., and GALLAGHER, T. F.: Thyroid-androgen interrelations and the hypocholesteremic effect of androsterone, 936
——, *see* FUKUSHIMA, D. K., 393
HENRY, R. J., *see* SOBEL, C., 1302
HERRMANN, W. L.; HAYES, M. A.; GOLDENBERG, I. S., and SCHINDL, I. K.: Urinary 17-ketosteroids in surgical stress (Letter to the Editor), 849
HIGAZI, A. M.; FAHMY, A. R., and TALAAT, M.: Urinary 17-ketosteroids in bilharzial cirrhosis of the liver, 1626
HIGGINS, H. P.: The ten-minute uptake of I^{131}: a clinical study and comparison with other tests of thyroid function, 557
HILL, F. M., *see* EZRIN, C., 621, 958
HILLS, A. G.; PARSONS, D. W.; WEBSTER, G. D., JR.; ROSENTHAL, O., and CONOVER, H.: Influence of the renal excretion of sodium chloride upon the renal excretion of magnesium and other ions by human subjects, 1192
HLAD, C. J., JR., and ELRICK, H., with the technical assistance of ARAI, Y.: Further studies of the kinetics of glucose utilization. I. A new method of data analysis, 1258
——, *see* ELRICK, H., 1274
HOBKIRK, R.; ALFHEIM, A., and BUGGE, S.: Hydrolysis of estrogen conjugates in diabetic pregnancy urines (Letter to the Editor), 1352
HOFFMAN, D. L., *see* FEINBERG, W. D., 567
HOLLIDAY, M. E., *see* WADE, A. P., 444
HOLMAN, G. H., *see* MIGEON, C. J., 1411
HOLMSTROM, E. G., *see* WIEST, W. G., 297
HOLUB, D. A.; JAILER, J. W.; KITAY, J. I. and FRANTZ, A. G.: Direct and indirect estimation of pituitary adrenocorticotropin reserves in man following steroid therapy, 1540
HOWARD, R. P., *see* FURMAN, R. H., 1510
——, *see* SMITH, C. W., 1420
HUFF, J. A., *see* HEIDER, C. H., 1471
HUMPHREY, J. G., *see* EZRIN, C., 621, 958
HUTCHINGS, J. J.: Complete sex reversal: a case report (Letter to the Editor), 375
——; ESCAMILLA, R. F.; DEAMER, W. C., and LI, C. H.: Metabolic changes produced by human growth hormone (Li) in a pituitary dwarf, 759
HYDOVITZ, J. D., *see* ARONS, W. L., 548

INGBAR, S. H., *see* DOWLING, J. T., 1245

JACKSON, W. P. U., and DANCASTER, C.: A consideration of the hypercalciuria in sarcoidosis, idiopathic hypercalciuria, and that produced by vitamin D. A new suggestion regarding calcium metabolism, 658
JACOBSON, L. E., *see* MILLER, W. N., 949
JAILER, J. W., *see* CHRISTY, N. P., 263
——, *see* HOLUB, D. A., 1540
JAYLE, M.-F., *see* BAULIEU, E.-E., 1081
JEFFERIES, W. M., and LEVY, R. P.: Treatment of ovarian dysfunction with small doses of cortisone or hydrocortisone, 1069
JESSIMAN, A. C., *see* EGLIN, J. M., JR., 369
JOHNSON, D. E.; SOLOMON, D. H., and GREER,

ELRICK, H.; WHIPPLE, N.; ARAI, Y., and HLAD, C. J., JR.: Further studies on the renal action of glucagon, 1274
——, *see* HLAD, C. J., JR., 1258
ENGBRING, N. H., and ENGSTROM, W. W.: Effects of estrogen and testosterone on circulating thyroid hormone, 783
ENGSTROM, W. W., *see* ENGBRING, N. H., 783
EPSTEIN, J. A., and KUPPERMAN, H. S.: Dexamethasone therapy in the adrenogenital syndrome—A comparative study (Letter to the Editor), 1503
ESCAMILLA, R. F., *see* HUTCHINGS, J. J., 759
ESTEP, H. L., *see* LIDDLE, G. W., 875
EVERETT, C., *see* SEGALOFF, A., 827
EWER, R. W.; ARKINS, J. A.; HEFFERMAN, B. T., and LENNON, E. J.: Increased urinary excretion of catechol amines in the absence of known chromaffin tumors. A survey by the rabbit aortic-strip method of 802 unselected, hospitalized patients, 1037
EZRIN, C., and MOLONEY, P. J.: Resistance to insulin due to neutralizing antibodies, 1055
——; SWANSON, H. E.; HUMPHREY, J. G.; DAWSON, J. W., and HILL, F. M.: Beta and delta cells of the human adenohypophysis: their response to adrenocortical disorders, 621
——; SWANSON, H. E.; HUMPHREY, J. G.; DAWSON, J. W., and HILL, F. M.: The cells of the human adenohypophysis in thyroid disorders, 958

FAHMY, A. R., *see* HIGAZI, A. M., 1626
FAJANS, S. S., *see* GITTLER, R. D., 797
FALOON, W. W., *see* TAYLOR, F. F., 1683
FEINBERG, W. D.; HOFFMAN, D. L., and OWEN, C. A., JR.: The effects of varying amounts of stable iodide on the function of the human thyroid, 567
FELBER, J.-P.; REDDY, W. J.; SELENKOW, H. A., and THORN, G. W.: Adrenocortical response to the 48-hour ACTH test in myxedema and hyperthyroidism, 895
FELLER, R. P., *see* SHANNON, I. L., 1477
FELTS, J. H.; MESCHAN, I., and ODDIE, T. H.: Assay of thyroid function in diabetes mellitus, 330
FINBY, N., *see* ARCHIBALD, R. M., 1312
FINKELSTEIN, M., and SCHOENBERGER, J.: Urinary steroids in 10 cases of adrenal carcinoma, with special reference to pregnane-3α,17α,20α-triol-11-one (Letter to the Editor), 608
FLACH, F. F.; CELIAN, C. I.; STOKES, P. E., and RAWSON, R. W.: The influence of thyroid hormones on metabolism in psychiatric disorders. I. The effect of 3:5:3′-triiodothyronine on calcium and phosphorus metabolism in psychiatric patients, 454
FLORES, A., *see* SEGALOFF, A., 827
FLOSI, A. Z.; ASSIS, L. M.; COELHO NETO, A. S.; BLOISE, W.; ULHÔA CINTRA, A. B., and BARROS, R. P.: Hormonal treatment of Hand-Schüller-Christian disease: report of a case with disappearance of the bone lesions, 239
FORD, R. V., *see* HEIDER, C. H., 1471
FRANTZ, A. G., *see* HOLUB, D. A., 1540
FRED, H. L., *see* PERKOFF, G. T., 432
FREEDBERG, A. S., *see* HAMOLSKY, M. W., 103
——, *see* KURLAND, G. S., 92
FREINKEL, N., *see* DOWLING, J. T., 1245
FREY, H. M.: Addison's disease complicated by Graves' disease (Letter to the Editor), 1497
——: Spontaneous pituitary destruction in diabetes mellitus, 1642
FUKUSHIMA, D. K.; BRADLOW, H. L.; HELLMAN, L., and GALLAGHER, T. F.: Further studies of 21-deoxyhydrocortisone-C^{14} in man, 393
——, *see* HELLMAN, L., 936
FURMAN, R. H., and HOWARD, R. P.: Urinary 17-ketosteroid excretion in castrated and intact men (Letter to the Editor), 1510

GALLAGHER, T. F., *see* BRADLOW, H. L., 1575
——, *see* FUKUSHIMA, D. K., 393
——, *see* HELLMAN, L., 936
GARDNER, J. U.; HAYLES, A. B.; WOOLNER, L. B., and OWEN, C. A., JR.: Iodine metabolism in goitrous crétins, 638
GARDNER, L. I., and MIGEON, C. J.: Unusual plasma 17-ketosteroid pattern in a boy with congenital adrenal hyperplasia and periodic fever (Letter to the Editor), 266
——, *see* GREENBERG, R. E., 351
GAULL, G., and VILLEE, C. A.: Stimulation of respiration of slices of human adenohypophysis by estradiol-17β *in vitro* (Letter to the Editor), 1357
GEMZELL, C. A.: A demonstration of growth hormone in human plasma, 1049
GERSHBERG, H.; SHIELDS, D. R., and KOVE, S. S.: The acute effects of parathyroid extract in states of edema, diminished renal function and parathyroid disease, 681
GITTLER, R. D.; FAJANS, S. S., and CONN, J. W.: Coexistence of Addison's disease and diabetes mellitus: report of three cases with a discussion of metabolic interrelationships, 797
GIUSTI, G., *see* BIGOZZI, U., 1506
GOFMAN, J. W., *see* STRISOWER, B., 117
——, *see* STRISOWER, E. H., 770
GOLD, E. M., and STARR, P.: Urinary excretion of 17-ketogenic steroids in normal subjects before and after stimulation with intramuscular zinc-ACTH, 907
GOLDENBERG, I. S., *see* HERRMANN, W. L., 849
GOLDSMITH, R., *see* KING, L. R., 1323
GOLODETZ, A., *see* HAMOLSKY, M. W., 103
——, *see* KURLAND, G. S., 92
GOLUB, O. J., *see* SOBEL, C., 1302
GOODMAN, H. L., *see* BALLS, K. F., 1134
GOOLDEN, A. W. G.: Effect of thyrotropic hormone on the accumulation of radioactive iodine in thyrotoxicosis, 1252
GRAUER, R. C., *see* SAIER, E. L., 1162
GREENBERG, R. E., and GARDNER, L. I.: Pheochromocytoma in father and son: report of the eighth known affected kindred, 351
GREENE, G., *see* SCHEDL, H. P., 1223
GREER, M. A., *see* JOHNSON, D. E., 317
GROSZ, H. J., *see* PERSKY, H., 700

M. A.: The effect of triiodothyronine and thyroxine upon the rate of release of thyroid hormone in various thyroid states, 317

KABAKOW, B., *see* SPENCER, H., 1581
KAPLAN, S. A., *see* CARTER, A. C., 1633
KARGER, R., *see* MARKS, L. J., 1458
KASPAROW, M., *see* TOUCHSTONE, J. C., 487, 812
KEARNS, T. P., *see* SALASSA, R. M., 1523
KEATING, F. R., JR., *see* MCCONAHEY, W. M., 45
KELLEY, V. C., *see* CRANNY, R. L., 854
KELLIE, A. E., *see* WADE, A. P., 444
KENDALL, J. W., JR., *see* LIDDLE, G. W., 875
KENNEDY, R. L. J., *see* HAYLES, A. B., 138
KERNOHAN, J. W., *see* SALASSA, R. M., 1523
KING, L. R.; BRAUNSTEIN, H.; CHAMBERS, D., and GOLDSMITH, R.: A case study of peculiar soft-tissue and bony changes in association with thyroid disease, 1323
KITAY, J. I., *see* HOLUB, D. A., 1540
KOUSSA, M. G., *see* REICHLIN, S., 692
KOVAČIČ, N.: Congenital adrenal hyperplasia and precocious gonadotropin secretion in a 6-year old girl (Letter to the Editor), 844
——: Effect of chorionic gonadotropin on urinary excretion of 17-ketosteroids in a 10-year old girl with a congenital adrenal hyperplasia (Letter to the Editor), 847
KOVE, S., *see* GERSHBERG, H., 681
KRAG, C. L., *see* STRISOWER, E. H., 770
KUMAOKA, S., *see* BENUA, R. S., 1344
KUPPERMAN, H. S., *see* EPSTEIN, J. A., 1503
KURLAND, G. S.; GOLODETZ, A.; HAMOLSKY, M. W., and FREEDBERG, A. S.: Thyroid function in supraventricular tachycardias: turnover of intravenously infused I^{131}-labeled thyroxine and the red blood cell uptake of I^{131}-labeled *l*-triiodothyronine, 92

LAIDLAW, J. C., *see* ROBERTSON, M. E., 1381
LANDAU, R. L., and LAVES, M. L.: Urinary pregnanetriol of testicular origin, 1399
LARSSON, L.-G., *see* EINHORN, J., 28
LASZLO, D., *see* SPENCER, H., 1581
LAVES, M. L., *see* LANDAU, R. L., 1399
LAWRENCE, B., *see* MIGEON, C. J., 1411
LAWRENCE, N. L., *see* BAKKE, J. L., 35
——, *see* HEIDEMAN, M. L., JR., 831
LEEPER, R. D., *see* BENUA, R. S., 1344
LENNON, E. J., *see* EWER, R. W., 1037
LEON, N.; WAJCHENBERG, B. L.; MONTENEGRO, M. R., and DE ULHÔA CINTRA, A. B.: The effects of chorionic gonadotropin in Klinefelter's syndrome, 1667
LEVY, R. P.; CAUGHEY, P., and TURELL, D.: Daily variations in the thyroidal uptake of I^{131} in human subjects, 632
——, *see* JEFFERIES, W. M., 1069
LEWBART, M. L., *see* MATTOX, V. R., 1151
LI, C. H., *see* HUTCHINGS, J. J., 759
LIDDLE, G. W.; ESTEP, H. L.; KENDALL, J. W., JR.; WILLIAMS, W. C., JR., and TOWNES, A. W.: Clinical application of a new test of pituitary reserve, 875
LINDSAY, S., *see* SHELINE, G. E., 127
LIPSETT, M. B., *see* BENUA, R. S., 19
LLOYD, C. W., *see* MOSES, A. M., 987
——, *see* SCHEER, R. L., 805
LOBOTSKY, J., *see* MOSES, A. M., 987
LOWENSTEIN, L., *see* VENNING, E. H., 403
LUBS, H. A., JR.; VILAR, O., and BERGENSTAL, D. M.: Familial male pseudohermaphrodism with labial testes and partial feminization: endocrine studies and genetic aspects, 1110

MACCARTY, C. S., *see* SALASSA, R. M., 1523
MALEN, M. M., *see* SCHNEEBERG, N. G., 203
MALONEY, P. J., *see* EZRIN, C., 1055
MAN, E. B., *see* PATTERSON, R. A., 380
MARGRAF, H. W., *see* WEICHSELBAUM, T. E., 1011
MARKS, L. J.; DONOVAN, M. J.; DUNCAN, F. J., and KARGER, R.: Adrenocortical response to surgical operations in patients treated with corticosteroids or corticotropin prior to surgery, 1458
MASON, H. L., *see* MOLNAR, G. D., 1023
MATTOX, V. R., and LEWBART, M. L.: The determination of aldosterone in urine, 1151
——, *see* MOLNAR, G. D., 1023
MAYBERRY, W. E., and ALBERT, A.: Attempts to assay melanophore hormone in the blood of man, 1553
MCARTHUR, J. W., *see* VINCZE, L. O., 281
MCCONAHEY, W. M.; WOOLNER, L. B.; BLACK, B. M., and KEATING, F. R., JR.: Effect of desiccated thyroid in lymphocytic (Hashimoto's) thyroiditis, 45
——, *see* MEIER, D. W., 162
——, *see* WOOLNER, L. B., 53
MCCULLAGH, E. P.: Hormones—Whence and whither, 1563
MCGAVACK, T. H., *see* BAUER, H. G., 490
MCMURTRY, M., *see* PERSKY, H., 700
MCPADDEN, A. J., *see* BONGIOVANNI, A. M., 1608
MEAKIN, J. W.; BETHUNE, J. E.; DESPOINTES, R. H., and NELSON, D. H.: The rate of disappearance of ACTH activity from the blood of humans (Letter to the Editor), 1491
——; NELSON, D. H., and THORN, G. W.: Addison's disease in two brothers, 726
MEIER, D. W.; WOOLNER, L. B.; BEAHRS, O. H., and MCCONAHEY, W. M.: Parenchymal findings in thyroidal carcinoma: pathologic study of 256 cases, 162
MELICK, R., and TAFT, H. P.: Observations on body hair in old people, 1597
MERRILL, R. C.: Repository forms of adrenocorticotropin (ACTH), 711
MESCHAN, I., *see* FELTS, J. H., 330
MESTLER, G. E., *see* HAMILTON, J. B., 535, 1680
MIGEON, C. J.; LAWRENCE, B.; BERTRAND, J., and HOLMAN, G. H.: *In vivo* distribution of some 17-hydroxycorticosteroids between the plasma and red blood cells of man, 1411
——, *see* GARDNER, L. I., 266
MILLER, W. N., and JACOBSON, L. E.: Alterations of thyroid function in severe heart disease, as measured by I^{131} techniques, 949
MOLINATTI, G. M.; CAMANNI, F., and PIZZINI, A.: Treatment of malignant edematous exophthalmos by implantation of the pituitary with yttrium^{90}: report of two cases, 583
——; CAMANNI, F., and TEDESCHI, M.: Implantation of the pituitary with yttrium^{90} in a case

of Cushing's syndrome, 1144
MOLNAR, G. D.; MATTOX, V. R.; MASON, H. L., and POWER, M. H.: Chronic adrenocortical dysfunction, including aldosterone deficiency: studies of steroid and electrolyte metabolism, 1023
MOLOSHOK, R. E., *see* GRUMBACH, M. M., 1369
MONTENEGRO, M. R., *see* LEON, N., 1667
MOORE, F. D., *see* BERNSTEIN, D. S., 224
MORABITO, F., *see* BIGOZZI, U., 1506
MORATÓ, MANARA, J.: The seminal vesicle-colchicine test for determination of pituitary interstitial cell-stimulating hormone, 980
MOSES, A. M.; LOBOTSKY, J., and LLOYD, C. W.: The occurrence of pre-eclampsia in a bilaterally adrenalectomized woman, 987
MOSS, W. T., *see* PENTZ, E. I., 1126
MURPHY, M. E., *see* ROBBINS, L. R., 1292

NELSON, D. R., *see* MEAKIN, J. W., 726, 1491
NICHOLSON, J. T. L., *see* BALLS, K. F., 1134
NIMER, R., *see* EIK-NES, K. B., 1405
——, *see* PERKOFF, G. T., 432
NOGUCHI, A., *see* YAMAZAKI, E., 1437
NORLÉN, G., *see* HAMBERGER, C.-A., 1500
NORTON, J. A., *see* PERSKY, H., 700
NOTTER, G., *see* DICZFALUSY, E., 1230
NUGENT, C. A.; EIK-NES, K. B.; SAMUELS, L. T., and TYLER, F. H.: Changes in plasma levels of 17-hydroxycorticosteroids during the intravenous administration of adrenocorticotropin (ACTH). IV. Response to prolonged infusions of small amounts of ACTH, 334
——; EIK-NES, K. B., and TYLER, F. H.: A comparative study of the metabolism of hydrocortisone and prednisolone, 526
——, *see* PERKOFF, G. T., 432
NUMEROFF, M.; PERLMUTTER, M., and SLATER, S.: Falsely elevated values for urinary 17-ketosteroids and 17-hydroxycorticoids associated with ingestion of triacetyloleandomycin (Letter to the Editor), 1350

ODDIE, T. H., *see* FELTS, J. H., 330
ODELL, W. D.; STEVENSON, J. K., and WILLIAMS, R. H.: Treatment of a lingual goiter with triiodothyronine, 363
OERTEL, G. W.; WEISS, S. P., and EIK-NES, K. B.: Determination of progesterone in human blood plasma, 213
——; WEST, C. D., and EIK-NES, K. B.: Isolation and identification of estrone, estradiol and estriol in human pregnancy plasma, 1619
——, *see* EIK-NES, K. B., 1405
OWEN, C. A., JR., *see* FEINBERG, W. D., 567
——, *see* GARDNER, J. U., 638

PARENT, C., *see* ROMANOFF, L. P., 819
PARSONS, D. W., *see* HILLS, A. G., 1192
PASCULLO, M., *see* CARTER, A. C., 235
PATTEE, C. J., *see* SZENAS, P., 344
PATTERSON, R. A., and MAN, E. B.: Interference by copper in the determination of serum butanol-extractable iodine (Letter to the Editor), 380
PENTZ, E. I.; MOSS, W. T., and DENKO, C. W.: Factors influencing taurine excretion in human subjects, 1126
PERKINS, W. H., *see* STORY, W. C., 733
PERKOFF, G. T.; EIK-NES, K. B.; NUGENT, C. A.; FRED, H. L.; NIMER, R. A.; RUSH, L.; SAMUELS, L. T., and TYLER, F. H.: Studies of the diurnal variation of plasma 17-hydroxycorticosteroids in man, 432
PERLMUTTER, M., *see* NUMEROFF, M., 1350
PERSKY, H.; GROSZ, H. J.; NORTON, J. A., and MCMURTRY, M.: Effect of hypnotically-induced anxiety on the plasma hydrocortisone level of normal subjects, 700
PINCUS, G., *see* ROMANOFF, L. P., 819
PIZZINI, A., *see* MOLINATTI, G. M., 583
POLLAK, V. E., *see* VENNING, E. H., 1486
POMES OTTONE, J. P. A., *see* ARGÜELLES, A. E., 252
POWER, M. H., *see* HAYLES, A. B., 248
——, *see* MOLNAR, G. D., 1023
PRIGMORE, J. R., *see* SHANNON, I. L., 1477

RABINOWITZ, D., *see* ELLIOTT, G. A., 995
RADLEY SMITH, E. J., *see* CURLING, K. J., 717
RAISZ, L. G., *see* SCHEER, R. L., 805
——, *see* SMULYAN, H., 478
RAMAN, G., and BEIERWALTES, W. H.: Correlation of goiter, deafmutism and mental retardation with serum thyroid hormone levels in noncretinous inhabitants of a severe endemic goiter area in India, 228
——, *see* CARR, E. A., JR., 1
RAWSON, R. W., *see* BENUA, R. S., 1344
——, *see* FLACH, F. F., 454
REDD, D., *see* SCHEDL, H. P., 1223
REDDY, W. J., *see* CRABBÉ, J., 1185
——, *see* FELBER, J.-P., 895
——, *see* ROSS, E. J., 289
REEVES, R. L.; TESLUK, H., and HARRISON, C. E.: Precocious puberty associated with hepatoma, 1651
REICHLIN, S.; KOUSSA, M. G., and WITT, F. W.: Effect of prolonged sleep therapy and of chlorpromazine on plasma protein-bound iodine concentration and plasma thyroxine turnover, 692
REISS, E., and ALEXANDER, F.: The tubular reabsorption of phosphate in the differential diagnosis of metabolic bone disease, 1212
RICCA, A., *see* ARGÜELLES, A. E., 252
RIVERA, A., *see* ROSS, E. J., 289
ROBBINS, L. R., with the technical assistance of MURPHY, M. E.: Experience with the *in vitro* erythrocyte uptake of I^{131}-labeled *l*-triiodothyronine in a routine clinical laboratory, 1292
ROBEL, P., *see* BAULIEU, E.-E., 1081
ROBERTSON, M. E.; STIEFEL, M., and LAIDLAW, J. C.: The influence of estrogen on the secretion, disposition and biologic activity of cortisol, 1381
ROCHE, M.: Elevated thyroidal I^{131} uptake in the absence of goiter in isolated Venezuelan Indians, 1440

RODRIGUEZ, R. M., *see* ROMANOFF, L. P., 819
ROMANOFF, L. P.; PARENT, C.; RODRIGUEZ, R. M., and PINCUS, G.: The urinary excretion of β-cortolone (3α,17α,20β,21-tetrahydroxypregnane-11-one) in young and elderly man and women, 819
ROSEMBERG, E., *see* ALBERT, A., 518
ROSENBLUM, D. J., *see* CARTER, A. C., 1633
ROSENTHAL, O., *see* HILLS, A. G., 1192
ROSS, E. J.; REDDY, W. J.; RIVERA, A., and THORN, G. W.: Effects of intravenous infusions of *dl*-aldosterone acetate on sodium and potassium excretion in man, 289
——, *see* CRABBÉ, J., 1185
ROW, V., *see* WERNER, S. C., 953
RUDY, M., *see* SOBEL, C., 1302
RUSH, L., *see* PERKOFF, G. T., 432
RYAN, R. J., *see* VENNING, E. H., 1486

SAIER, E. L.; CAMPBELL, E.; STRICKLER, H. S., and GRAUER, R. C.: A simplified method for the simultaneous determination of 17-ketosteroids, dehydroepiandrosterone, and 17-hydroxycorticosteroids in serum, 1162
SALABER, J., *see* ARGÜELLES, A. E., 252
SALASSA, R. M.; KEARNS, T. P.; KERNOHAN, J. W.; SPRAGUE, R. G., and MACCARTY, C. S.: Pituitary tumors in patients with Cushing's syndrome, 1523
SALMON, W. D., JR., *see* DAUGHADAY, W. H., 743
SAMACHSON, J., *see* SPENCER, H., 1581
SAMUELS, L. T., *see* NUGENT, C. A., 334
——, *see* PERKOFF, G. T., 432
SANDLER, A., *see* ELLIOTT, G. A., 995
SCHATZ, D. L., and VOLPÉ, R.: Lack of diurnal variation in the level of serum protein-bound iodine (Letter to the Editor), 1495
SCHEDL, H. P.; CHEN, P. S., JR.; GREENE, G., and REDD, D.: The renal clearance of plasma cortisol, 1223
——, DELEA, C., and BARTTER, F. C.: Structure-activity relationships of anabolic steroids: role of the 19-methyl group, 921
SCHEER, R. L.; RAISZ, L. G., and LLOYD, C. W.: Changes in diabetes insipidus during pregnancy and lactation, 805
SCHINDL, I. K., *see* HERRMANN, W. L., 849
SCHNEEBERG, N. G.; STEINBERG, A.; MALEN, M. M.; CHERNOFF, B., and YAP, C. L.: Congenital virilizing adrenal hyperplasia in identical twins, 203
SCHWARTZ, T. B.: Adrenal hyperresponsiveness resulting from prolonged corticotropin therapy (Letter to the Editor), 269
SCHWARTZ, H., *see* CARTER, A. C., 234
SEGALOFF, A.: Hydrocortisone acetate, a long-acting corticoid, *vs.* hydrocortisone, a short-acting corticoid (Letter to the Editor), 1682
——; STEELMAN, S. L.; EVERETT, C., and FLORES, A.: The preparation of an apparently homogeneous gonadotropin from human menopausal urine, 827
SELENKOW, H. A., *see* FELBER, J.-P., 895
SHANNON, I. L.; PRIGMORE, J. R.; BROOKS, R. A., and FELLER, R. P.: The 17-hydroxycorticosteroids of parotid fluid, serum and urine following intramuscular administration of repository corticotropin, 1477
SHELINE, G. E.; LINDSAY, S., and BELL, H. C.: Occurrence of thyroid nodules in children following therapy with radioiodine for hyperthyroidism, 127
SHIELDS, D. R., *see* GERSHBERG, H., 681
SHOENBERGER, J., *see* FINKELSTEIN, M., 608
SIDBURY, J. B., JR., *see* HADDAD, H. M., 1446
SIGUIER, F., *see* BAULIEU, E.-E., 1081
SJÖGREN, G., *see* HAMBERGER, C.-A., 1500
SLATER, J. D. H., *see* WADE, A. P., 444
SLATER, S., *see* NUMEROFF, M., 1350
SLINGERLAND, D. W., *see* YAMAZAKI, E., 1437
SMITH, C. W., JR., and HOWARD, R. P.: Variations in endocrine gland function in postpartum pituitary necrosis, 1420
SMITH, J. D., *see* BONGIOVANNI, A. M., 1608
SMULYAN, H., and RAISZ, L. G.: Pseudo-pseudohypoparathyroidism with unusual features, 478
SOBEL, C.; HENRY, R. J.; GOLUB, O. J., and RUDY, M.: Chemical determination of aldosterone in urine, 1302
SOLOMON, D. H., *see* JOHNSON, D. E., 317
SPAFFORD, N. R., *see* CARR, E. A., JR., 1,1282
SPENCER, H.; KABAKOW, B.; SAMACHSON, J., and LASZLO, D.: Metabolic effects of mytatrienediol in man, 1581
SPRAGUE, R. G., *see* SALASSA, R. M., 1523
STAMBAUGH, R. A., *sec.* CARR. E. A., JR., 1, 1282
STARR, P., *see* GOLD, E. M., 907
——, *see* TANAKA, S., 84, 485
STEELMAN, S. L., *see* SEGALOFF, A., 827
STEINBERG, A., *see* SCHNEEBERG, N. G., 203
STEVENSON, J. K., *see* ODELL, W. D., 363
STIEFEL, M., *see* ROBERTSON, M. E., 1381
STOKES, P. E., *see* FLACH, F. F., 454
STORY, W. C., and PERKINS, W. H.: The effect of thyrotropin on the turnover rates of thyroxine and triiodothyronine (Letter to the Editor), 733
STRICKLER, H. S., *see* SAIER, E. L., 1162
STRISOWER, B.; ELMLINGER, P.; GOFMAN, J. W., and DELALLA, O.: The effect of *l*-thyroxine on serum lipoprotein and cholesterol concentrations, 117
——, *see* STRISOWER, E. H., 770
STRISOWER, E. H.; GOFMAN, J. W.; ELMLINGER, P.; STRISOWER, B., and KRAG, C. L.: The effect of betaine on human serum lipoproteins, 770
SUTHERLAND, A. M., *see* WAXENBERG, S. E., 193
SUZUKI, M., *see* WEBSTER, G. D., JR., 967
SWANSON, H. E., *see* EZRIN, C., 621, 958
SWELL, L., *see* BAUER, H. G., 490
SYBULSKI, S., *see* VENNING, E. H., 1486
SZENAS, P., and PATTEE, C. J.: Studies of adrenocortical function in obesity, 344

TAFT, H. P., *see* MELICK, R., 1597
TAFT, P. D., *see* VINCZE, L. O., 281
TAGNON, R. F., and CORVILAIN, J.: Utilization of fructose by the nervous system in man, 509
TALAAT, M., *see* HIGAZI, A. M., 1626
TANAKA, S., and STARR, P.: A euthyroid man

without thyroxine-binding globulin (Letter to the Editor), 485
——, and STARR, P.: Clinical observations on serum globulin thyroxine-binding capacity, using a simplified technique, 84
TANNER, K., *see* CARR, E. A., JR., 1
TANTON, J., *see* CARR, E. A., JR., 1
TAYLOR, F. F., and FALOON, W. W.: The role of potassium in the naturiuretic response to a steroidal lactone (SC-9420) (Letter to the Editor), 1683
TEDESCHI, M., *see* MOLINATTI, G. M., 1144
TESLUK, H., *see* REEVES, R. L., 1651
THOMAS, C. G., JR., and WILSON, E. A.: The uptake of P^{32} as a measure of cellular metabolism in the human thyroid, 306
THORN, G. W., *see* CRABBÉ, J., 1185
——, *see* FELBER, J.-P., 895
——, *see* MEAKIN, J. W., 726
——, *see* ROSS, E. J., 289
TOCCAFONDI, R., *see* BIGOZZI, U., 1506
TOUCHSTONE, J. C.; COOPER, D. Y., and BLAKEMORE, W. S., with the technical assistance of KASPAROW, M.: Identification of substance S in human adrenal venous blood, 812
——; COOPER, D. Y.; KASPAROW, M., and BLAKEMORE, S.: The isolation of Δ^4-pregnene-11β,17α,20α,21-tetrol-3-one and pregnene-11β,17α,20β,21-tetrol-3-one from human adrenal incubates (Letter to the Editor), 487
——, *see* BALLS, K. F., 1134
——, *see* WEBSTER, G. D., JR., 967
TOWNES, A. W., *see* LIDDLE, G. W., 875
TURELL, D., *see* LEVY, R. P., 632
TYLER, F. H., *see* EIK-NES, K. B., 1405
——, *see* NUGENT, C. A., 334
——, *see* PERKOFF, G. T., 432

ULHÔA CINTRA, A. B., *see* FLOSI, A. Z., 239

VANNOTTI, A., and BERAUD, T.: Functional relationships between the liver, the thyroxine-binding protein of serum, and the thyroid, 466
VENNING, E. H.; DYRENFURTH, I.; LOWENSTEIN, L., and BECK, J.: Metabolic studies in pregnancy and the puerperium, 403
——, SYBULSKI, S., POLLAK, V. E., and RYAN, R. J.: Aldosterone excretion in two adrenalectomized pregnant women (Letter to the Editor), 1486
VILAR, O., *see* LUBS, H. A., JR., 1110
VILLEE, C. A., *see* GAULL, G., 1357
VINCZE, L. O.; TAFT, P. D., and MCARTHUR, J. W.: A study of cornification in vaginal, buccal and urinary sediment smears, 281
VOLPÉ, R., *see* SCHATZ, D. L., 1495

WADE, A. P.; SLATER, J. D. H.; KELLIE, A. E., and HOLLIDAY, M. E.: Urinary excretion of 17-ketosteroids following rectal infusion of cortisol, 444
WAJCHENBERG, B. L., *see* LEON, N., 1667
WALDEN, E. B., *see* HEIDER, C. H., 1471
WALLACE, E. Z., *see* CARTER, A. C., 234
WAXENBERG, S. E., DRELLICH, M. G., and SUTHERLAND, A. M.: The role of hormones in human behavior. I. Changes in female sexuality after adrenalectomy, 193
WEBSTER, G. D., JR.; TOUCHSTONE, J. C., and SUZUKI, M.: Adrenocortical hyperplasia occurring with metastatic carcinoma of the prostate: report of a case exhibiting increased urinary aldosterone and glucocorticoid excretion, 967
——, *see* HILLS, A. G., 1192
WEICHSELBAUM, T. E., and MARGRAF, H. W.: Identification of "free" tetrahydrocortisone in human peripheral plasma (Letter to the Editor), 1011
WEISENFELD, S., *see* CARTER, A. C., 234
WEISS, S. P., *see* OERTEL, G. W., 213
WERNER, S. C.; BECKER, D. V., and ROW, V. V.: Distribution of serum radioiodinated compounds in euthyroid and hyperthyroid patients following hypophysectomy, 953
WEST, C. D., *see* OERTEL, G. W., 1619
WESTMAN, A., *see* DICZFALUSY, E., 1230
WHEELER, A. H., *see* BIERWALTES, W. H., 179
WHIPPLE, N., *see* ELRICK, H., 1274
WIEST, W. G.; ZANDER, J., and HOLMSTROM, E. G.: Metabolism of progesterone-4-C^{14} by an arrhenoblastoma, 297
WILLIAMS, R. H., *see* ODELL, W. D., 363
WILLIAMS, W. C., JR., *see* LIDDLE, G. W., 875
WILSON, E. A., *see* THOMAS, C. G., JR., 306
WINKLER, B. S., *see* BRENDLER, H., 183
WITT, F. W., *see* REICHLIN, S., 692
WOLNER, L. B.; MCCONAHEY, W. M., and BEAHRS, O. H.; Struma lymphomatosa (Hashimoto's thyroiditis) and related thyroidal disorders, 53
——, *see* GARDNER, J. U., 638
——, *see* HAYLES, A. B., 138
——, *see* MCCONAHEY, W. M., 45
——, *see* MEIER, D. W., 162

YAMAZAKI, E.; NOGUCHI, A., and SLINGERLAND, D. W.: The development of hormonal biosynthesis in human fetal thyroids, 1437
YAP, C. L., *see* SCHNEEBERG, N. G., 203

ZANDER, J., *see* WIEST, W. G., 297
ZUMOFF, B., *see* HELLMAN, L., 936

SUBJECT INDEX TO VOLUME 19

ABNORMALITIES, genetic: *see* Congenital; Familial
ABORTION: *see* Pregnancy
ACROMEGALY: *see* Pituitary disorders
ACROPACHY: *see* Bone
ACTH (adrenocorticotropin): *see* Pituitary preps. & comps.
ADDISON'S DISEASE: *see* Adrenal disorders
ADENOHYPOPHYSIS: *see* Pituitary
ADRENAL
DISORDERS
—— Addison's disease and congenital ad. hyperplasia; response to SU-4885 in new test for pituitary reserve, 875
—— Addison's disease and diabetes (3 cases); metabolic interrelationships, 797
—— Addison's disease and pregnancy; lack of hydrocortisone and aldosterone, 263
—— Addison's disease; attempts to assay melanophore hormone in blood, 1553
—— Addison's disease complicated by Graves' disease, 1497
—— Addison's disease, Cushing's syn. and high-dosage glucocorticoid therapy; beta and delta cells of adenohypophysis in, 621
—— Addison's disease; effect of estrogen on metabolism of cortisol in; electrolytes, 1381
—— Addison's disease; effect of i. v. *dl*-aldosterone acetate on Na and K excretion, 289
—— Addison's disease; effect of TAO on 17-KS and 17-OH-CS in, 1350
—— Addison's disease; hydrocortisone acetate *vs.* hydrocortisone in treatment of, 1682
—— Addison's disease in male patient; effect of CG on urinary pregnanetriol in, 1399
—— Addison's disease in two young brothers, 726
—— Addison's disease; rate of disappearance of ACTH activity from plasma in, 1491
—— adrenal carcinoma and congen. ad. hyperplasia; steroids in, with special reference to pregnanetriolone, 608
—— adrenal-deficient patients; influence of excretion of NaCl on excretion of Mg and other ions, 1192
—— adrenal dysfunction; unusual case in the male; effect of ACTH and prednisone, 1506
—— adrenal insufficiency; plasma 17-OH-CS during continuous i.v. infusion of small amounts of ACTH, 334
—— adrenal insufficiency plus hypothyroidism in an unusual case of idiopathic hypoparathyroidism, 1633
—— adrenalectomized breast-cancer patients; estrogen excretion in, 1230
ADRENAL (*con't.*)
DISORDERS (*cont'd.*)
—— adrenalectomized pregnant women and their infants; aldosterone excretion in, 1486
—— adrenalectomy; effect on pituitary tumor in Cushing's syndrome, 1523
—— adrenocortical disorders; taurine excretion in; effect of ACTH and fluorohydrocortisone, 1126
—— adrenocortical hyperplasia and metastatic cancer of prostate; inc'd urinary aldosterone and glucocorticoids, 967
—— adrenogenital syndrome; dexamethasone *vs.* prednisone therapy in, 1503
—— adrenogenital syndrome *vs.* virilizing adrenal adenoma; excretion of three C-21 methyl corticosteroids in, 1608
—— bilaterally adrenalect'd pregnant woman; pre-eclampsia in, 987
—— bilaterally adrenalect'd women; changes in sexuality, 193
—— chronic adrenocortical dysfunction, including aldosterone deficiency; steroid & electrolyte metab. in, 1023
—— congenital adrenal hyperplasia and periodic fever; unusual plasma 17-KS pattern, 266
—— congenital adrenal hyperplasia and precocious gonadotropin secretion in a 6-year-old girl, 844
—— congenital adrenal hyperplasia in a 10-year-old girl; effect of CG and cortisone on 17-KS, 847
—— congenital adrenal hyperplasia; metab. of 21-deoxyhydrocortisone-4-C^{14} in, 393
—— congenital adrenal hyperplasia; metab. of 11β-hydroxy-Δ^4-androstene-3,17-dione in, 1575
—— congenital virilizing adrenal hyperplasia in identical twins (blood grouping), 203
—— Cushing's syndrome: *see also* Cushing's syndrome
—— hyperaldosteronism, pure, primary; metabolic and steroidal studies, 1081
—— pheochromocytoma in father and son; 8th known affected kindred, 351
—— pheochromocytoma; test for; inc'd excretion of catechol amines in absence of known chromaffin tumors, 1037
PHYSIOLOGY & PATHOLOGY
—— (ACTH) adrenocorticotropic hormone: *see* Pituitary preps. & comps.
—— adrenal histologic picture and TSH content of hypophysis, 35
—— adrenal steroid therapy; effect on ACTH reserves, 1540
—— adrenal steroids and toxemia of pregnancy, 987
—— adrenal venous blood; identification of

ADRENAL (*cont'd.*)
PHYSIOLOGY & PATHOLOGY (*cont'd.*)
substance S in; comparison with adrenal tissue incubates, 812
—— adrenocortical activity as indicated by "free" tetrahydrocortisone in plasma, 1011
—— adrenocortical and ovarian dysfunction; some relationships, 1069
—— adrenocortical function in obesity, 344
—— adrenocortical mass as factor in 17-KGS response to i.m. zinc-ACTH, 907
—— adrenocortical reserve in thyroid disease, 895
—— adrenocortical response to anxiety, 700
—— adrenocortical response to stress: *see also* Stress
—— adrenocortical response to surgery in patients pretreated with corticosteroids or ACTH, 1458
—— adrenocortical response to surgical stress, 849
—— corticosteroid-treated patients; assess. of ACTH reserves in, 1540
—— free 17-OH-CS in parotid fluid as indicator of adrenocort. function, 1477
—— human adrenal incubates; isolation of F glycol-20α and 20β isomer from, 487
—— hyperresponsiveness, from prolonged ACTH therapy, 269
—— zona fasciculata in case of adrenocort. hyperplasia + metast. cancer of prostate, 967
PREPARATIONS & COMPOUNDS
—— adrenal androgens; role in female sexual behavior, 193
—— adrenal inhibitor, SU-4885, in assess. of pituitary ACTH reserve, 1540
—— adrenal steroids increased foll'g operation in woman with islet-cell ca. of pancreas + Cushing's syn., 1134
—— adrenocortical hormone-induced change in excretion of NaCl; influence on excretion of Mg and other ions, 1192
—— adrenocortical (17-OH-CS and 17-KS) response to 48-hour ACTH test in myxedema and hyperthyroidism, 895
—— *dl*-aldosterone acetate i.v., with and without hydrocortisone; effect on Na and K excretion, 289
—— aldosterone and glucocorticoid excretion inc'd in case of adrenocort. hyperplasia + metast. prostatic cancer, 967
—— aldosterone antagonist (SC-9420); Na and K relationships, 1683
—— aldosterone deficiency and chronic AC dysfunction; steroid and electrolyte metab. in, 1023
—— aldosterone excretion in adrenalect'd pregnant women and their infants, 1486
—— aldosterone, 9α-fluorocortisol, cortisone, corticosterone and ACTH; effect of, in chronic AC dysfunction; 17-OH-CS of plasma and urine, 1023
—— aldosterone in urine; determination of, 1151, 1302
—— aldosterone, sodium-excreting factor,

ADRENAL (*cont'd.*)
PREPARATIONS & COMPOUNDS (*cont'd.*)
and other steroids; excretion of in pure primary hyperaldosteronism, 1081
—— aldosterone *vs.* cortisol secretion; stimulation of by ACTH, 1185
—— corticoids in 10-year-old girl with ad. hyperplasia, 847
—— corticosteroids; effect on hypercalcemia in 2 patients with malig. neoplasms, 1212
—— corticosteroids in unusual case of ad. dysfunction in the male; effect of ACTH and prednisone, 1506
—— corticosteroids, including aldosterone; excretion in 5 women during pregnancy and puerperium, 403
—— cortisol (cortisol-21-acetate-C^{14} and cortisol-4-C^{14}); renal clearance of, 1223
—— cortisol in plasma foll'g oral and i.v. admin., 219
—— cortisol; influence of estrogen on secretion, disposition and biologic activity of, 1381
—— cortisol, rectally infused; excretion of 17-KS foll'g, 444
—— cortisone and analogues; effect on disordered calcium metab. in sarcoidosis, 658
—— cortisone; effect on ADH during pregnancy in hypophy'd woman with diabetes insip., 369
—— cortisone in treat. of Hand-Schüller-Christian disease, 239
—— cortisone or hydrocortisone in small doses in treatment of ovarian dysfunction, 1069
—— cortisone, prednisone and other steroids in treat. of congen. virilizing ad. hyperplasia, 203
—— β-cortolone *vs.* THF, ATHF and THE excretion in young and elderly men and women, 819
—— 21-deoxyhydrocortisone-4-C^{14}; metab. of in congen. ad. hyperplasia, 393
—— dexamethasone *vs.* prednisone therapy in the adrenogen. syndrome, 1503
—— epinephrine and norepinephrine, preop. and postop., in urine, plasma and tumor, in boy with pheochromocytoma, 351
—— fluorocortisol; effect on production of corticoids in pure primary hyperaldosteronism, 1081
—— 9α-fluorohydrocortisone; effect on I^{131} uptake in Addison's dis. complicated by Graves' dis., 1497
—— fluorohydrocortisone; effect on taurine excretion in adrenocort. disorders, 1126
—— free and conjugated plasma 17-OH-CS; response to surgery in patients pretreated with corticosteroids or ACTH, 1458
—— "free" tetrahydrocortisone in human peripheral plasma, 1011
—— glucocorticoids in high dosage; beta and delta cells of adenohypophysis in patients treated with, 621

ADRENAL (*cont'd.*)
PREPARATIONS & COMPOUNDS (*cont'd.*)
—— hydrocortisone acetate (long-acting) *vs.* hydrocortisone (short-acting), 1682
—— hydrocortisone and aldosterone; failure to demonstrate during pregnancy in Addison's dis., 263
—— hydrocortisone and prednisolone; comparative study of metabolism; (17-OH-CS), 526
—— hydrocortisone disappearance rate as measure of 17-OH-CS metab. in obesity, 344
—— hydrocortisone of plasma; effect of hypnotically-induced anxiety on, 700
—— hydrocortisone; rate of removal from plasma, 432
—— 11β-hydroxy-Δ^4-androstene-3,17-dione; metabolite pattern of, in congen. ad. hyperplasia, 1575
—— 17-hydroxydesoxycorticosterone, corticosterone and hydrocortisone in adrenal venous blood, 812
—— hydroxysteroid excretion in prostatic cancer; effect of norethandrolone on, 183
—— 17-ketogenic steroid excretion in normal subjects before and after stim. with i.m. zinc-ACTH, 907
—— 11-ketopregnane-3α, 17α, 20α-triol; chief metabolite of 21-deoxyhydrocortisone in congen. ad. hyperplasia, 393
—— 17-ketosteroids: see *also* Steroids, 17-KS
—— 17-KS and 17-KGS excretion in Cushing's syn., 1471
—— 17-KS and 17-OH-CS in case of complete sex reversal, 375
—— 17-KS and pregnanediol; effect of cortisone on, in 6-year-old girl with gonadotropin secretion and ad. hyperplasia, 844
—— 17-KS response to surgical stress, 849
—— norepinephrine (catechol amines); inc'd excretion of, in absence of chromaffin tumors, 1037
—— 17-OH-CS and androgens of plasma; effect of HCG on, 1405
—— 17-OH-CS and 17-KS before and after ACTH in 2 brothers with Addison's dis., 726
—— 17-OH-CS and 17-KS; falsely elevated values for during ingestion of TAO, 1350
—— 17-OH-CS and 17-KS in castrated *vs.* intact, and in feeble-minded *vs.* normal men, 535
—— 17-OH-CS, dehydroepiandrosterone and 17-KS of serum; simplified method for simult. determination of, 1162
—— 17-OH-CS excretion during prolonged ACTH therapy; influence of previous corticosteroid therapy, 269
—— 17-OH-CS excretion in Cushing's syn. treated by implantation of Y^{90} into the pituitary, 1144
—— 17-OH-CS excretion in sisters with gonadal dysgenesis, 995
—— 17-OH-CS excretion in women with hirsutism, 252
—— 17-OH-CS half-life values; interpretation of, 854

ADRENAL ((*cont'd.*)
PREPARATIONS & COMPOUNDS (*cont'd.*)
—— 17-OH-CS in familial male pseudohermaphrodism, 1110
—— 17-OH-CS in man with estrogen-secreting interstit.-cell tumor of testis & gynecomastia, 1331
—— 17-OH-CS in pituitary dwarf treated with human growth hormone, 759
—— 17-OH-CS in postpartum pituitary necrosis, 1420
—— 17-OH-CS of parotid fluid, serum and urine foll'g i.m. repository corticotropin, 1477
—— 17-OH-CS of plasma and urine, and plasma hydrocortisone; effect of repository forms of ACTH on, 711
—— 17-OH-CS of plasma and urine, and urinary 17-KS & aldosterone in bilat'y adrenalect'd woman with pre-eclampsia, 987
—— 17-OH-CS of plasma and urine in thyrotoxicosis or adenoma developing after hypophysectomy, 717
—— 17-OH-CS of plasma; diurnal variation in, 432
—— 17-OH-CS of plasma during prolonged i.v. admin. of small amts. of ACTH; relation to diurnal var., 334
—— 17-OH-CS of urine; effect of CG on in Klinefelter's syn., 1667
—— 17-OH-CS response to SU-4885 in new test for pituitary reserve; effect of prednisone and fluorocortisol, 875
—— 17-OH-CS, various; distribution of, between plasma and RBC, 1411
—— 11β-OH-etiocholanolone and 11β-OH-androsterone in urine after rectal infusion of cortisol, 444
—— prednisone-treated patients; TSH content of hypophysis, 35
—— prednisolone-treated patient; effect of mytatrienediol in, 1581
—— pregnanetriol: *see also* Pregnanetriol
—— pregnanetriol, urinary, partly of testicular origin, 1399
—— pregnanetriolone, pregnanetriol, hydrocortisone, corticoids and 17-KS in 10 cases of adrenal ca., 608
—— Δ^4-pregnene-11β, 17α, 20α, 21-tetrol-3-one (F glycol-20α) and 20β isomer; isolation from human adrenal incubates, 487
—— salt-active steroids; effect in Addison's dis. coexistent with diabetes, 797
—— steroids: *see also* Steroids
—— substance S; identification of, in human adrenal venous blood, 812
—— three C-21 methyl corticosteroids (pregnanetriol, 11-ketopregnanetriol, 17-OH-pregnanolone); excretion of, in adrenogen. syn., 1608
—— urinary corticosteroids after implantation of pituitary with Y^{90} in treat. of malig. exophthalmos, 583
—— urinary steroids in unusual case of idiopathic hypoparathyroidism; effect of ACTH, 1633

ADRENALINE: *see* Adrenal preps. & comps., epinephrine, norepinephrine
ADRENOCORTICOTROPIN (ACTH): *see* Pituitary preps.& comps, ACTH
ADRENOGENITAL SYNDROME: *see* Adrenal disorders
AGE: *see also* Children; Pregnancy, fetus
—— aging; effect on 17-KS excretion, 1680
—— children and adults; taurine excretion in, 1126
—— distribution re focal thyroiditis, 53
—— distribution re thyroid carcinoma, 162
—— in relation to excretion of 11-ketopregnanetriol, 1608
—— in relation to excretion of 17-KS in castrated and intact men, 1510
—— in relation to I^{131} therapy for hyperthyroidism, 127
—— in relation to plasma cortisol level, 219
—— of castrated men; effect on 17-OH-CS and 17-KS excretion, 535
—— of fetus related to hormonal biosynthesis in the thyroid, 1437
—— old people; body hair in, 1597
—— various ages; sulfation factor activity of serum, 743
—— young and elderly men and women; urinary β-cortolone in, 819
—— young men: *see also* Testis; Sex
—— young women: *see also* Ovary; Sex
ALBUMIN: *see* Protein
ALCOHOL; effect on taurine excretion, 1126
ALDOSTERONE: *see* Adrenal preps. & comps.
ALKALI; effect on assay of melanophore hormone, 1553
ALKALOSIS, hypokaliemic, in man with adrenocort. hyperplasia and metast. cancer of prostate, 967
ALLERGY to intravenous insulin, 1055
ALLOTETRAHYDROCORTISOL (ATHF): *see* Adrenal preps. & comps.
AMENORRHEA: *see* Menstruation; Ovary; Pregnancy
AMERICAN COLLEGE OF PHYSICIANS; Postgraduate Course in Metabolic Diseases, 1368
AMERICAN DIABETSS ASSOCIATION; joint session with Endocrine Society, program, 500
AMERICAN GOITER ASSOCIATION
Annual Meetings
—— Apr. 30–May 2, 1959, Chicago, Ill.: announcements of 176, 279, 389, 505 (with program)
—— July 5–9, 1960, London, England: announcements of 871, 1019, 1181, 1365, 1520, 1698
Awards (Van Meter Prize Award; Award for Meritorious Service)
—— for 1959: announcement of, 176; recipients of, 870
—— for 1960: announcements of, 871, 1019, 1181, 1365, 1520, 1698
Fourth International Goiter Conference
—— July 5–9, 1960, London, England: announcements of, 871, 1019, 1181, 1365, 1520, 1698
AMERICAN SOCIETY FOR STUDY OF STERILITY: annual meeting, 279; grant-in-aid, 1699
AMERICAN UROLOGICAL ASSOCIATION award, 872
AMINO-ACID composition of human urinary FSH, 827
AMPHOPHIL CELLS: *see* Pituitary, physiology & pathology
AMYLOID in medullary carcinoma of thyroid, 152
ANABOLIC STEROIDS: *see* Androgens; Steroids
ANDROGENS: *see also* Testis; Sex; Steroids
—— anabolic, androgenic and structural relationships; role of 19-methyl group, 921
—— androstenedione and 17-OH-progesterone metabolized from progesterone-4-C^{14} by an arrhenoblastoma, 289
—— androsterone, dehydroepiandrosterone and 17-OH-CS of plasma; effect of HCG on in males and females, 1405
—— androsterone; hypocholesteremic effect of, 936
—— dehydroepiandrosterone, 17-KS and 17-OH-CS of serum det'd simultaneously by simplified method, 1162
—— dehydroisoandrosterone in unusual case of ad. dysfunction in the male; effect of ACTH and prednisone, 1506
—— fetal masculinizing action of certain oral progestins, 1369
—— in plasma of boy with congen. ad. hyperplasia and periodic fever, 266
—— masculinization of female infants assoc'd with estrogenic therapy during gestation, 1004
—— 2-methyl-dihydrotestosterone and testosterone; effects on excretion of pituitary gonadotropin, 603
—— 17α-methyltestosterone; comparison with 17-vinyl and 17-ethynyl derivatives of 19-nortestosterone, 921
—— norethandrolone (Nilevar); effect on 17-KS excretion in prostatic cancer, 183
—— 19-nor-17α-ethynyltestosterone, norethynodrel and 17α-ethynyltestosterone; masculinizing action on female fetus, 1369
—— of adrenal origin; role in female sexual behavior, 193
—— relation to increased serum gammaglobulin levels in hirsute women, 252
—— testosterone-$4C^{14}$; conversion to androsterone and etiocholanolone in thyroid diseases; thyroid-androgen interrelationships, 936
—— testosterone; effect on circ'g thyroid hormone, 783
—— testosterone propionate; effect on 17-KS in bilharzial cirrhosis, 1626
—— testosterone *vs.* norethandrolone; effect on weight of rat prostate, 183
ANDROSTENEDIONE: *see* Androgens
ANDROSTERONE: *see* Androgens
ANENCEPHALY: *see* Brain; Children; Pregnancy, fetus
ANNOUNCEMENTS: *see* Endocrine Society; and Am. Coll. Physicians; Am. Diabetes A.; Am. Goiter A.; Am. Soc. Study Sterility; Am. Urol. Assoc.; Assoc. Nat. European Socs. Gastroenterology; Biol. Photographic A.; Fed. Soc. Gyn. & Obst., French Lang.; International (8 Conferences, Congresses or Symposia): Inter-Soc. Cytology Council; Laurentian Hormone Conf.; National Institutes of

ANNOUNCEMENTS (*cont'd.*)
Health; New York Acad. Med.; New York Heart A.; New York University; Nuclear Med.; Pan Am. Med. A.; Psychosomatic Med., Acad.; Rice Institute; Univ. of California; University of Texas; Venezuelan Cong.; *see also* Awards; Courses; Grants
ANNUAL MEETINGS: *see* Announcements
ANOREXIA NERVOSA: *see* Gastro-intestinal tract
ANOVULATORY women: *see* Menstruation; Ovary
ANTIBIOTICS
—— neomycin in ulcerative colitis; effect on 17-KS excretion, 444
—— triacetyloleandomycin; falsely elevated values for 17-KS and 17-OH-CS during ingestion of, 1350
ANTIBODIES
—— antibody test for struma lymphomatosa (3 cases in 1 family), 1121
—— autoantibodies, thyroid, in the families of cretins, 179
—— neutralizing antibodies; resistance to insulin due to, 1055
ANTICOAGULANT therapy; effect on *in vitro* RBC uptake of I^{131}-triiodothyronine, 103
ANTIDIURETIC HORMONE: *see* Pituitary preps. & comps. (ADH, post. pit. extract)
ANTITHYROID DRUGS: *see* Methimazole; Thiouracil; Thyroid disorders, treatment
ANXIETY: *see* Mental
ARRHENOBLASTOMA: *see* Ovary
ARRHYTHMIAS: *see* Heart
ARTERIES: *see* Vascular system: Heart
ARTERIOSCLEROSIS: *see* Vascular system
ARTHRITIS, rheumatoid, treated with prednisone; taurine excretion in, 1126
ASCITES: *see* Liver, cirrhosis
ASSAY: *see* Methods; Tests
ASSOCIATION of Nat. European and Medit. Societies of Gastroenterology, meeting, 391
ATHEROGENIC INDEX: *see* Heart
A.T. 10: *see* Dihydrotachysterol
AUTHOR INDEX to Volume 19, 1700
AUTOANTIBODIES: *see* Antibodies
AWARDS: *see* Endocrine Society; Am. Goiter A.; Grants
AYERST FELLOWSHIP: *see* Endocrine Society, awards

BASOPHIL ADENOMA: *see* Cushing's syndrome; Pituitary disorders
BASAL METABOLISM
—— and serum cholesterol; effect of triiodothyropropionic acid on, 490
—— before and after hypophysectomy foll'd by thyrotoxicosis or thyroid adenoma, 717
—— during T_3 therapy in psychiatric disorders, 454
—— effect of androsterone on in myxedema, 936
—— effect of hypophysectomy on in Graves' disease, 840
—— effect of implantation of pituitary with Y^{90} in treat. of malig. exophthalmos, 583
—— effect of iodine and thyroid preps. on: *see also* Iodine: Thyroid
—— effect of triiodothyronine and thyroxine
BASAL METABOLISM (*cont'd.*)
on (*vs.* PBI and thyroidal secretion rate) in various thyroid states, 317
—— effect of *dl*-3,3′,5′-triiodothyronine on in Graves' disease, 1344
—— in acromegaly, before and after hypophysectomy, 1500
—— in Hashimoto's thyroditis and related thyroidal disorders, 45, 53
—— in supraventricular tachycardias, 92
—— in thyroid disorders: *see also* Thyroid
—— O_2 consumption in thyroidect'd CCl_4-intox'd rats after inj. of thyroxine and TBP, 466
—— respiration of pituitary slices stim'd by estradiol-17β *in vitro*, 1357
BEHAVIOR: *see* Mental
BEI: *see* Iodine
BETA CELLS: *see* Pituitary, physiology & pathology
BETACYAMINE (betaine+glycocyamine); effect on serum lipoproteins, 770
BETAINE: effect on serum lipoproteins, 770
BILE: *see* Liver
BILHARZIAL CIRRHOSIS: *see* Liver
BIOLOGICAL Photographic Association meetings, 392, 1020
BLADDER: gall bladder, *see* Liver; urinary bladder, *see* Urine
BLOOD: *see also* under constituent or under disorder involved
—— ACTH: *see* Pituitary preps. & comps.
—— adrenal steroids: *see* Adrenal preps. & comps.
—— androsterone: *see* Androgens
—— antibodies & autoantibodies: *see* Antibodies
—— calcium: *see* Calcium
—— chloride: *see* Electrolytes; Sodium
—— cholesterol: *see* Cholesterol
—— citric acid, in unusual case of idiopathic hypoparathyroidism, 590
—— conjugated and free 17-OH-CS: *see* Adrenal preps. & comps.
—— corticoids; corticosteroids; cortisol: *see* Adrenal preps. & comps.
—— dehydroepiandrosterone: *see* Androgens
—— electrolytes: *see* Electrolytes; Potassium; Sodium
—— enzymes: *see* Enzymes
—— eosinopenia, hypoglycemia-induced; effect of fructose-insulin on, 509
—— eosinophil count; effect of i.v. *dl*-aldosterone acetate on, 289
—— eosinophil count; effect of zinc-ACTH on, 711
—— eosinophilic granuloma: *see* Hand-Schüller-Christian disease
—— eosinophils: *see also* Pituitary preps. & comps., ACTH test
—— erythrocyte uptake of I^{131}-*l*-triiodothyronine *in vitro;* experience with in a routine clin. laboratory, 1292
—— erythrocyte uptake of T_3 in hyperthyroid pregnant woman, 1
—— erythrocyte uptake of T_3^{131} in supraventricular tachycardias, 92
—— erythrocyte uptake of T_3^{131} *in vitro* as

BLOOD (*cont'd.*)
diagnostic test of thyroid function; effect of anticoag. therapy on, 103
—— free and conjugated 17-OH-CS: *see* Adrenal preps. & comps.
—— "free" tetrahydrocortisone: *see* Adrenal preps. & comps.
—— glucose: *see* Carbohydrate metabolism; Diabetes mell.; Insulin
—— grouping in parents, and in identical twins with congen. virilizing ad. hyperplasia, 203
—— groups in pedigree of family with pheochromocytoma in father and son, 351
—— human plasma; demonstration of growth hormone in, 1049
—— human pregnancy plasma; isol'n and identif'n of estrone, estradiol and estriol in, 1619
—— hydrocortisone: *see* Adrenal preps. & comps.
—— hypercalcemia in sarcoidosis and foll'g vit. D therapy; suggestion re Ca metab., 658
—— insulin: *see* Insulin
—— interference by plasma in assay of TSH, 831
—— iodine: *see* Iodine
—— iodotyrosines and iodothyronines: *see* Iodine; Thyroid preps. & comps.
—— 17-KS, 17-OH-CS and dehydroepiandrosterone of serum; simplified method for simult. determination of, 1162
—— lack of diurnal variation in serum PBI, 1495
—— leukocytes: *see also* Sex, chromatin
—— lipids and lipoproteins: *see also* Lipids; Proteins
—— lipoproteins; effect of betaine on, 770
—— methods for determination of constituents: *see* Methods; Tests
—— mono- and diiodotyrosines: *see* Thyroid preps. & comps.
—— 17-OH-CS: *see* Adrenal preps. & comps.
—— PBI: *see* Iodine
—— phosphatase, acid or alk.: *see* Enzymes
—— phosphorus: *see* Phosphorus
—— plasma levels of 17-OH-CS during prolonged i.v. infusion of small amts. of ACTH; relation to diurnal variation, 334
—— plasma patterns of adrenal hormones: *see* Adrenal preps. & comps.
—— plasma patterns of thyroid hormones: *see* Thyroid preps. & comps.: Iodine
—— plasma protein-thyroid hormone complex, 103, 485, 460
—— plasma thyroxine turnover; effect of prolonged sleep therapy and chlorpromazine on, 692
—— potassium: *see* Potassium; Electrolytes
—— pressure: *see* Vascular system
—— progesterone: *see* Progesterone
—— protein-bound iodine: *see* Iodine
—— proteins: *see* Protein: Nitrogen; Uric acid
—— radioiodinated compounds: *see* Iodine, radioactive; Thyroid preps. & comps.
—— rate of disappearance of exog. ACTH activity from, 1491
BLOOD (*cont'd.*)
—— red blood cells versus plasma; distrib. of some 17-OH-CS between, 1411
—— renal clearance: *see* Kidney
—— serum; deshalogenase activity in, 1282
—— serum glutamic-oxalacetic and pyruvic transaminase in toxemia of pregnancy, 425
—— serum pattern of thyroid hormones in euthyroidism & hyperthyroidism, 548
—— smears for detection of genetic sex: *see* Sex
—— steroid half-life values; interpretation of, 854
—— steroids: *see also* Adrenal preps. & comps; Steroids
—— sugar: *see* Carbohydrate metabolism; Diabetes mell.; Insulin
—— sulfation factor activity in pituitary disorders, 743
—— thyroid-serum ratios in P^{32} study of cellular metabolism, 366
—— thyroidal substances: *see* Thyroid preps. & comps.
—— thyroxine-binding protein: *see* Thyroid preps. & comps.; Protein
—— triiodothyronine and other iodinated substances: *see* Thyroid preps. & comps.
—— TSH: *see* Pituitary preps. & comps.
—— volume in pregnancy and the puerperium, 403
BLOOD PRESSURE: *see* Vascular system
BONE: *see also* Calcium; Parathyroids
—— acropachy, assoc'd with thyroid disease, 1323
—— bone disease, metabolic; tubular reabsorp. of phosphate in diff. diagnosis of, 1212
—— bone lesions of Hand-Schüller-Christian disease; disappearance foll'g treat. with cortisone & ACTH; effect of estrogen & thyroid on bone age, 239
—— bony and soft-tissue changes in thyroid disease, 1323
—— cartilage metabolism of sulfate-S^{35}; influence of pituitary on, 743
—— metacarpal (R_4) shortened and pinna ossified in unusual case of pseudo-pseudohypoparathyroidism, 478
—— osteoporosis and vertebral epiphysitis in 3 sisters with gonadal dysgenesis, 995
—— short metacarpals; endocrine significance of, 1312
—— skeletal maturation in infant of hyperthyroid mother, 1
BOOK REGISTER, 178, 280, 619, 873, 1021, 1183
BRAIN: *see also* Mental; Nervous system; Stress
—— anencephalic fetuses; development of hormonal biosynthesis in thyroids of, 1437
—— consciousness and sleep pattern, alterations of; effect on plasma 17-OH-CS, 432
—— epilepsy and metacarpal signs, 1312
—— sleep therapy, prolonged, and chlorpromazine; effect on PBI and plasma thyroxine turnover, 692
—— sonambulistic hypnotic state; anxiety induced in: effect on plasma hydrocortisone, 700

BRAIN (*cont'd.*)
—— subcortical stimulation of, and release of ADH, 1346
—— utilization of fructose by; (EEG changes), 509
BREAST: *see also* Ovary
—— cancer; estrogen excretion before and after ovarian irrad'n and oophorectomy, 1230
—— cancer in postmenopausal women; effect of 2-methyl-dihydrotestosterone and testosterone on HPG excretion in, 603
—— cancer; women bilat'y adrenalectomized for; changes in sexuality, 193
—— effect of CG on in Klinefelter's syndrome 1667
—— gynecomastia: *see also* Testis
—— gynecomastia in boy with Hand-Schüller-Christian disease treated with ACTH and estrogens, 239
—— gynecomastia in familial male pseudohermaphrodism, 1110
—— gynecomastia in unusual case of ad. dysfunction; effect of prednisone, 1506
—— gynecomastia, transient, recurrent, after removal of estrogen-secreting IC tumor of testis, 1331
—— lactation; changes in diabetes insipidus during, 805
—— mammatropic activity, urinary, in thyrotoxicosis or adenoma developing after hypophysectomy for breast cancer, 717
BUCCAL SMEARS
—— buccal, vaginal and urinary smears; effect of estrogen on cornification, 281
—— for estimation of sex chromatin: *see* Sex
BUTANOL-EXTRACTABLE IODINE (BEI): *see* Iodine

C^{14} *see* Radioactive
C-21 METHYL CORTICOSTEROIDS: *see* Adrenal preps. & comps.
CALCIFEROL (vitamin D_3): *see* Vitamins, D_2
CALCIUM: *see also* Bone; Parathyroids
—— and P metabolism; effect of 3:5:3′-triiodothyronine on in psychiatric patients, 454
—— and P metabolism in diff. diagnosis of metabolic bone disease, 1212
—— and P of serum in resistant case of hypoparathyroidism treated with i.v. D_2, 224
—— balance in pituitary dwarf treated with human growth hormone, 759
—— calcification of lungs in unusual case of idiopathic hypoparathyroidism without sustained hypercalcemia, 1633
—— excretion; influence of NaCl excretion on, 1192
—— hypercalciuria in sarcoidosis; also idiopathic, and that produced by vit. D; new suggestion re calcium metabolism, 658
—— metabolism; effects of mytatrienediol and SC-8246 on, 1581
—— metabolism in case of acute fatal parathyroid poisoning, 1481
—— ossification of pinna and normal serum calcium level in unusual case of pseudohypoparathyroidism; effect of parathyroid extract and calcium on, 478
—— tolerance tests in case of Cushing's syn. before and after implant'n of Y^{90} into pituitary, 1144
—— unusual response to vitamin D_2 in idiopathic hypoparathyroidism; effect of A.T.10, 590
CANCER: *see also* under organ involved
—— metastatic malignancy; *in vitro* RBC uptake of T_3^{131} in, 103
—— of adrenals: *see* Adrenal disorders; Cushing's syndrome
—— of pancrease: *see* Pancreas
—— of prostate: *see* Prostate
—— of thyroid: *see* Thyroid disorders
—— patients bilat'y adrenalectomized for: *see* Adrenal disorders
—— patients hypophysectomized for: *see* Pituitary disorders
—— various neoplasms; Ca and P metabolism in; effect of corticosteroids, 1212
CARBOHYDRATE METABOLISM: *see also* Diabetes mell.; Insulin; Pancreas
—— acid mucopolysaccharide in the thyroid; effect of TSH, 257
—— fructose; utilization of by the nervous system, 509
—— glucagon; further studies on renal action of, 1274
—— glucose in urine; effect of hydrolysis on estrogen conjugates, 1352
—— glucose tolerance in aldosterone deficiency, 1023
—— glucose tolerance in pituitary dwarf treated with human growth hormone, 759
—— glucose utilization; kinetics; new method of data analysis, 1258
—— hyperglycemia, glycosuria, inc'd aldosterone and glucocorticoid excretion in case of adrenocort. hyperplasia + metast. cancer of prostate, 967
—— hypoglycemia, progressing to death, after operation for islet-cell ca. of pancreas + Cushing's syn., 1134
CARBON (C^{14}): *see* Radioactive
CARBON TETRACHLORIDE; liver damage due to in thyroidectomized rats; studies on serum thyroxine-binding protein, 466
CARCINOMA: *see* Cancer; and under organ involved
CARDIOVASCULAR: *see* Heart; Vascular system
CARTILAGE: *see* Bone
CASTRATION: *see* Ovary; Testis
CATHECHOL AMINES: *see also* Adrenal preps. & comps., epinephrine, norepinephrine
— increased urinary excretion of, in absence of known chromaffin tumors; survey of 802 patients, 1037
CELLS
—— beta and delta cells of adenohypophysis; response to adrenocort. disorders, 621
—— cellular metabolism in the human thyroid; uptake of P^{32} as measure of, 306
—— chromaffin: *see* Chromaffin
—— cornification of, in buccal vaginal and urinary smears, 281

CELLS (*cont'd.*)
—— determination of sex by nuclear chromatin pattern: *see* Sex
—— interstitial: *see* Testis
—— interstitial-cell stimulating hormone (ICHS): *see* Pituitary preps. & comps.
—— islet-cell carcinoma: *see* Pancreas
—— mitoses in seminal vesicles of colchicine-treated rats as test for ICSH in urine, 980
—— of pituitary gland: *see also* Pituitary, physiology & pathology
CHEMICAL determination of aldosterone in urine, 1151, 1302
CHILDREN: *see also* Age; Congenital; Familial; Growth; Pregnancy, fetus; and under various endocrine disorders
—— boy and father with pheochromocytoma, 351
—— boy with congenital ad. hyperplasia and periodic fever; unusual plasma 17-KS pattern in, 266
—— congenital adrenal hyperplasia: *see also* Adrenal disorders
—— congenital goitrous cretinism: *see* Thyroid disorders, hypothyroidism
—— cretinism and juvenile hypothyroidism: *see also* Thyroid disorders, hypothyroidism
—— cretins; thyroid autoantibodies in parents and siblings of, 179
—— exophthalmic goiter in, 138
—— female infants; masculinization of, assoc'd with estrogenic therapy alone during gestation, 1004
—— fetal thyroid function and development; effect of maternal thyroid function on, 1
—— fetus: *see also* Pregnancy
—— growth hormone: *see* Pituitary preps. & comps.
—— ICSH excretion as det'd by seminal vesicle-colchicine test, 980
—— infant with bilat. ovotestes, 1661
—— infantile cretins; cells of adenohypophysis in, 958
—— interpretation of steroid half-life values in, 854
—— metacarpal sign in, 1312
—— newborn infants of adrenalect'd mothers; aldosterone excretion in, 1486
—— newborns; fetal masculinizing action of certain oral progestins, 1369
—— precocious gonadotropin secretion in 6-year-old girl with congenital ad. hyperplasia, 844
—— puberty, precocious: *see* Puberty; Ovary; Testis
—— sulfation factor activity of serum in, 743
—— taurine excretion in, 1126
—— thyroid nodules; occurrence foll'g I^{131} therapy for hyperthyroidism, 127
—— two boys with unilat. cryptorchidism, spermatogenic precocity, hypertelorism and polydactyly, 1103
—— two young brothers; Addison's disease in, 726
—— unusual case of idiopathic hypoparathyroidism in a child, 1633
CHILDREN'S HOSPITAL OF PHILADELPHIA, courses in pediatrics, 392
CHLORIDE (salt): *see* Electrolytes; Sodium, chloride
CHLORPROMAZINE; effect on PBI and plasma thyroxine turnover, 692
CHOLESTEROL: *see also* Lipoproteins
—— depression by triiodothyropropionic acid; effect on BMR, 490
—— during 48-hour ACTH test, in thyroid disorders, 895
—— effect of betaine on, 770
—— effect of hypophysectomy on in Graves' disease, 840
—— effect of thyroxine on, 117
—— effect of *dl*-3,3′,5′-triiodothyronine on in Graves' disease, 1344
—— hypocholesteremic effect of androsterone, 936
—— in 17 mothers of cretins, 1
CHORIONIC GONADOTROPIN: *see* Gonadotropins; Pregnancy
CHROMAFFIN-CELL TUMORS: *see also* Adrenal disorders, pheochromocytoma
—— chromaffin tumors; increased urinary excretion of catechol amines in absence of; survey of 802 patients, 1037
CHROMATIN, SEX: *see* Sex
CHROMATOGRAPHY: *see* Methods
CHROMOPHOBE tumors: *see* Pituitary disorders
CIBA AWARD: *see* Endocrine Society, awards
CIRRHOSIS: *see* Liver
CITRIC ACID of serum in unusual case of idiopathic hypoparathyroidism, 590
CLIMACTERIC: *see* Estrogens; Menstruation; Ovary
CLINICAL application of new test of pituitary reserve, 875
CLUBBING of phalanges: *see* Bone
COLCHICINE-SEMINAL VESICLE test for determination of ICSH in urine, 980
COLITIS: *see* Gastro-intestinal tract
CONFERENCES: *see* Announcements
CONGENITAL: *see also* Children; Familial; and under various endocrine disorders
—— abnormalities, multiple, in 2 boys; noteworthy gonadal factors, 1103
—— adrenal hyperplasia: *see also* Adrenal disorders
—— cretinism: *see also* Thyroid disorders, hypothyroidism
—— goitrous cretinism; defect of iodinating system in, 1446
—— gonadal dysgenesis: *see* Ovary; Testis
—— lingual goiter treated with triiodothyronine, 363
—— virilizing adrenal hyperplasia in identical twins, 203
CONGRESSES: *see* Announcements
CONJUGATED steroids: *see* Adrenal preps. & comps.; Estrogens; Steroids
CONSCIOUSNESS: *see* Brain
CONTENTS OF VOLUME 19, page i (December issue)
COPPER; interference by, in det'n of serum BEI, 380
CORNIFICATION: *see* Cells; Estrogens
CORONARY ARTERY disease: *see* Heart

CORRECTION, 508
CORTICOIDS; CORTICOSTEROIDS: *see* Adrenal preps. & comps.; Steroids
CORTICOSTERONE: *see* Adrenal preps. & comps.
CORTICOTROPIN (ACTH): *see* Pituitary preps. and comps., ACTH
CORTISOL: *see* Adrenal preps. & comps.
CORTISONE: *see* Adrenal preps. & comps.
β-CORTOLONE: *see* Adrenal preps. & comps.
CORTROPHIN-ZINC: *see* Pituitary preps. & comps., ACTH
COURSES: *see also* Grants; Announcements
Endocrinology and metabolism
—— assembly, postgraduate, in: *see* Endocrine Society
—— gynecologic endocrinology: *see* New York University
—— hormone conferences or symposia: *see* Laurentian Hormone Conference; International (8 Conferences, Congresses or Symposia); Rice Institute
—— metabolic diseases: *see* Am. College Physicians
—— physiology of cells (cancer): *see* University of Texas
Pediatrics: see Children's Hospital of Philadelphia
Training Programs: see National Institutes of Health
CREATINE; CREATININE: *see* Nitrogen
CRETINISM: *see* Thyroid disorders, hypothyroidism
CRYPTORCHIDISM: *see* Testis
CUSHING'S SYNDROME: *see also* Adrenal disorders; Pituitary disorders
—— ACTH-induced; adrenal hyperresponsiveness (17-OH-CS), 269
—— and functioning islet-cell ca. of pancreas, 1134
—— beta and delta cells of adenohypophysis in, 621
—— Cushingoid phenomena produced by certain adrenal steroids in treat. of virilizing ad. hyperplasia, 203
—— Cushingoid signs in child treated with ACTH for Hand-S.-Christian disease, 239
—— ICSH excretion in, by seminal vesicle-colchicine test, 980
—— implantation of pituitary with Y^{90}, 1144
—— influence of estrogen on 17-OH-CS in, 1381
—— melanophore hormone in blood; attempts to assay, 1553
—— 17-OH-CS response to SU-4885 in new tests of pituitary reserve, 875
—— pituitary tumors in, 1523
—— pregnant adrenalect'd women and their infants; aldosterone excretion in, 1486
—— rate of disappearance of ACTH activity from plasma in, 1491
—— stimulation of aldosterone secretion by ACTH in, 1185
—— varying degrees of; 17-KS and 17-KGS excretion in diff. diagnosis, 1471
—— with carcinoma; urinary steroids, especially pregnanetriolone, in, 608
—— woman bilat'y adrenalectomized for; preeclampsia in, 987

D_2 (vitamin): *see* Vitamins
DAILY variations: *see also* Diurnal
—— in thyroidal I^{131} uptake, 632
DATA analysis: *see* Methods
DEAFMUTISM, mental retardation and goiter correlated with serum PBI and BEI in noncretins of a severe endemic goiter area in India, 228
DEHYDROEPIANDROSTERONE: *see* Androgens
DELTA CELLS: *see* Pituitary physiology & pathology
DESHALOGENASE: *see* Enzymes
DE(S)OXYCORTICOSTEROIDS; DE(S)OXYCORTICOSTERONE: *see* Adrenal preps. & comps.
DEXAMETHASONE: *see* Adrenal preps. & comps.
DIABETES INSIPIDUS: *see* Pituitary disorders
DIABETES MELLITUS: *see also* Carbohydrate metabolism; Insulin; Pancreas
—— coexistent with Addison's disease (3 cases); metabolic interrelationships, 797
—— diabetic pregnancy urines; hydrolysis of estrogen conjugates in, 1352
—— glucose (sugar) tolerance tests: *see also* Carbohydrate metabolism
—— in acromegaly; effect of hypophysectomy, 1500
—— in unusual case of pseudo-pseudohypoparathyroidism, 478
—— incidence in children with exoph. goiter, 138
—— insulin: *see also* Insulin; Pancreas
—— insulin resistance in, due to neutralizing antibodies, 1055
—— pituitary destruction in; Houssay phenomenon, 1642
—— thyroidal and renal function in, 330
DIET: *see also* Vitamins
—— high-protein and high-alcohol; effect on taurine excretion, 1126
—— low-calcium, in various studies, 658, 1581, 1683
—— low-sodium; stimulation of aldosterone secretion by ACTH during, 1185
DIETHYLSTILBESTROL: *see* Estrogens
DIHYDROTACHYSTEROL (A.T.10)
—— and oral calciferol; resistance to, in treat. of hypoparathyroidism, 224
—— response to, in unusual case of idiopathic hypoparathyroidism, 590
DIIODOTHYRONINE: *see* Thyroid preps. & comps.
DIIODOTYROSINE: *see* Thyroid preps. & comps.
DIURNAL
—— daily variation in thyroidal I^{131} uptake, 632
—— pattern of plasma free 17-OH-CS in patients receiving stilbestrol, 1381
—— variation in excretion of 17-KGS, 907
—— variation in plasma dehydroepiandrosterone; effect of HCG on, 1405
—— variation in plasma 17-OH-CS, 432
—— variation in plasma 17-OH-CS; effect of continuous i.v. infusion of small amts. of ACTH on, 334
—— variation in sulfation factor activity of serum, 743
—— variation; lack of, re serum PBI, 1495

DWARFISM: *see also* Growth; and under various endocrine disorders
—— and metacarpal signs, 1312
—— boy with dwarfism and ant. pit. insuff'y; failure of insulin to affect growth, 248
—— cretinism: *see* Thyroid disorders, hypothyroidism
—— gonadal dysgenesis: *see* Ovary; Testis
—— in case of complete sex reversal, 375
—— in unusual case of pseudo-pseudohypoparathyroidism, 478
—— pituitary dwarf; metabolic changes produced in by human growth hormone (Li), 759
—— pituitary dwarfism; sulfation factor activity of serum in, 743
DYING: *see also* Stress
—— dying patients; increased excretion of catechol amines in, 1037
—— patients dying suddenly; TSH content of hypophysis, 35
DYSGENESIS: *see* Adrenal disorders; Ovary; Testis; Sex; Thyroid disorders, hypothyroidism, cretinism

EAR, pinna, ossification of; unusual feature in pseudo-pseudohypoparathyroidism, 478
ECLAMPSIA: *see* Pregnancy
EDEMA: *see also* Water; Kidney
—— acute effects of parathyroid extract in, 681
EDITOR, Letters to: *see* Letters to the Editor
ELECTROENCEPHALOGRAM: *see* Brain
ELECTROLYTES: *see also* Calcium; Potassium; Sodium
—— abnormal levels; TSH content of hypophysis in cases of, 35
—— balance in Addison's disease+diabetes treated with corticosteroids, 797
—— balances (Ca, K and P) in 14-year-old boy with ant. pituitary insuff'y; effect of insulin on, 248
—— chloride, Na and K; effect of i.v. *dl*-aldosterone acetate on, 289
—— metabolism in chronic adrenocort. dysfunction, incl. aldosterone deficiency, 1023
—— of blood in unusual case of idiopathic hypoparathyroidism, 1633
—— of blood, muscle and urine in case of ad. hyperplasia+metast. cancer of prostate, with hypokaliemic alkalosis, 967
—— of serum in islet-cell ca. of pancreas+Cushing's syn., 1134
—— of serum in postpartum pituitary necrosis, 1420
—— total solute conc. of urine in study of effect of subcortical stim. of brain on ADH release, 1346
—— urinary; influence of estrogen on effect of i.v. cortisol in Addison's disease, 1381
ELECTROPHORETIC alterations in serum proteins: *see* Protein
ENDEMIC GOITER: *see* Thyroid disorders, goiter
ENDOCRINE: *see also* Androgens: Estrogens; Gonadotropins: Insulin; Progesterone: Steroids; and under various endocrine glands
ENDOCRINE (*cont'd.*)
—— endocrine gland function; variations in, in postpartum pituitary necrosis, 1420
—— endocrine significance of short metacarpals, 1312
—— endocrine studies in familial male pseudohermaphrodism, 1110
ENDOCRINE SOCIETY
ANNUAL MEETING
Forty-First, Atlantic City, N.J., June 4–6, 1959
—— announcements of, 172, 275, 385, 494, 613, 736
—— program (last session, joint, with Am. Diabetes A.), 494
Forty-Second, Miami Beach, Florida, June 9–11, 1960
—— announcements of, 864, 1014, 1174, 1360, 1513, 1688
AWARDS: (Koch Medal; Ciba Award; Ayerst Fellowship; Squibb Fellowship; Schering Scholar; Upjohn Scholar)
For 1959
—— announcements of, 173, 276, 385, 502, 613, 736
—— recipients of, 857
For 1960
—— announcements of, 864, 1016, 1176, 1362, 1515, 1690
FELLOWSHIPS: *see* Endocrine Society, awards
FIRST INTERNATIONAL CONGRESS OF ENDOCRINOLOGY, Copenhagen, Denmark, July 18–23, 1960: announcements of, 388, 616, 867, 1179, 1517, 1622 (program)
JOURNAL OF CLINICAL ENDOCRINOLOGY & METABOLISM: *see* Journal
KOCH MEDAL: *see* Endocrine Society, awards
OFFICERS, COUNCIL, PUBLICATIONS COMMITTEE, EDITORAL BOARD AND EDITORS
—— *For 1958–59: see* general information pages, front advertising section, Jan.–June issues
—— *For 1959–60: see Ibid.*, July–Dec. issues
POSTGRADUATE ASSEMBLY IN ENDOCRINOLOGY AND METABOLISM (Eleventh; San Francisco, California, Nov. 9–13, 1959; sponsored jointly with the Univ. of California School of Medicine and Dept. of Continuing Medical Education)
—— announcement of, 278, 387, 504, 616, 739 (with program), 866, 1018, 1178, 1364, 1517
ENDOCRINOLOGY
—— assemblies, conferences, meetings, symposia: *see* Endocrine Society; and under Announcements
—— courses: *see* Courses
—— grants: *see* Endocrine Society; Am. Goiter Assoc.; Grants
ENDOMETRIUM: *see* Menstruation
ENZYMES
—— iodinase and oxidase; study of defect in iodinating system in congen. goitrous cretinism, 1446
—— iodotyrosine deshalogenase activity in normal and diseased thyroids, 1282
—— phosphatase, alkaline; absence in testes of a male pseudohermaphrodite, 1110

ENZYMES (*cont'd.*)
—— phosphatase of serum, acid and alk., in 3 sisters with gonadal dysgenesis, 995
—— phosphatase of serum in prostatic cancer; effect of norethandrolone on, 183
—— transaminases, SGO-T and SGP-T, in toxemia of pregnancy, 1425
EOSINOPHILIC GRANULOMA: *see* Hand-Schüller-Christian disease
EOSINOPHILS: *see* Blood
EPILEPSY: *see* Brain
EPINEPHRINE: *see* Adrenal preps. & comps.
ERYTHROCYTES: *see* Blood
ESTRADIOL: ESTRIN: ESTRIOL: *see* Estrogens
ESTROGENS: *see also* Menstruation; Ovary; Progesterone; Pregnancy; Sex; Steroids; Uterus
—— and castration therapy in case of prostatic cancer; development of hypokaliemic alkalosis; ad. hyperplasia and inc'd glucocorticoid excretion, 967
—— diethylstilbestrol and ethinyl estradiol; influence on secretion, disposition and biologic activity of cortisol, 1381
—— diethylstilbestrol; failure to affect thyroidal accum. and renal clearance of I^{131}, 1245
—— effect of CG on in Klinefelter's syn., 1667
—— effect on cornification in vaginal, buccal and urinary smears, 281
—— effect on *in vitro* RBC uptake of T_3^{131}, 103
—— estradiol-17β; stimulation of respiration of pituitary slices by, 1357
—— estrogen conjugates; hydrolysis of, in diabetic pregnancy urines, 1352
—— estrogen therapy in boy with Hand-Schüller-Christian disease; gynecomastia and advance in bone age, 239
—— estrogen-secreting interstitial-cell tumor of testis; transient, recur. gynecomastia after removal of; urinary estrogens, gonadotropin and 17-KS, 1331
—— estrone, estradiol-17β and estriol excretion in breast cancer; effect of ovarian irrad'n and oophorectomy, 1230
—— estrone, estradiol and estriol; isolation and identif'n in human pregnancy plasma, 1619
—— excretion in aldosterone deficiency, 1023
—— excretion in sisters with gonadal dysgenesis; response to CG, 995
—— excretion in six-year-old girl with gonadotropin secretion and ad. hyperplasia, 844
—— excretion in ten-year-old girl with ad. hyperplasia, 847
——long-term estrogen therapy; cells of hypophysis in patients receiving, 1381
—— mytatrienediol and SC-8246; metabolic effects of, 1581
—— stilbestrol; effect of circ'g thyroid hormone, 783
—— stilbestrol therapy during gestation; masculinization of female infants associated with, 1004
—— urinary, in thyrotoxicosis or thyroid adenoma developing after hypophysectomy, 717
ESTRONE: *see* Estrogens
ETHINYL ESTRADIOL: *see* Estrogens
17α-ETHYNYL derivatives of 19-nortestosterone: *see* Androgens: Progestins
ETIOCHOLANOLONE: *see also* Adrenal preps. & comps.; Androgens
—— possible presence in serum of boy with periodic fever and congenital ad. hyperplasia, 266
EUNUCHISM; EUNUCHOIDISM: *see* Testis
EXOPHTHALMIC GOITER: *see* Thyroid disorders, hyperthyroidism
EXOPHTHALMOS: *see* Eyes; Thyroid disorders, hyperthyroidism
EYES
—— cataracts in unusual case of idiopathic hypoparathyroidism, 590
—— diabetic retinopathy, with or without nephropathy; assay of thyroid function in, 330
—— exophthalmos; effect of hypophysectomy on, 840
—— exophthalmos in children with hyperthyroidism, 138
—— exophthalmos, malignant edematous; treatment by, implanting Y^{90} into the pituitary, 583
—— hypertelorism and polydactyly in 2 boys with unilat. cryptorchidism and spermatogenic precocity, 1103
—— ophthalmologic disorders in Cushing's syn.+pituitary tumor, 1523
—— orbital tissue swelling (biopsy) and acropachy in I^{131}-treated Graves' disease, 1323
—— retrobulbar neuritis; prolonged ACTH therapy resulting in adrenal hyperresponsiveness, 269

FAMILIAL: *see also* Children; Twins
—— Addison's disease in 2 young brothers; discussion of "familial" aspect, 726
—— in one family; 3 cases of struma lymphomatosa, 1121
—— male pseudohermaphrodism with labial testes and partial feminization; endocrine and genetic aspects, 1110
—— metacarpal signs, 1312
—— pheochyromocytoma in father and son; 8th known affected kindred, 351
—— three sisters with gonadal dysgenesis, 995
FAT: *see* Cholesterol; Lipoproteins; Obesity
FEDERATION of Socs. of Gynecology & Obstetrics, French Language; 18th Congress, 508
FEEBLE-MINDED STATES: *see* Mental
FELLOWSHIPS: *see* Endocrine Society awards; Grants
FEMALE, FEMINIZATION: *see* Ovary; Sex
FERTILITY: *see* Ovary; Pregnancy; Testis
FETUS: *see* Pregnancy; Children, newborn
FEVER: *see* Temperature
FINGERS AND HAND
—— acropachy, associated with thyroid disease, 1323
—— fingernails; trophic changes in unusual case of idiopathic hypoparathyroidism, 590
—— polydactyly in 2 cryptorchid boys with congenital abnormalities and spermatogenic precocity, 1103

FINGERS & HAND (*cont'd.*)
—— short metacarpals. 478, 1312
FLUOROCORTISOL; FLUOROHYDROCORTISONE: *see* Adrenal preps. & comps.
FOLLICLE-STIMULATING HORMONE (FSH): *see* Gonadotropins
FRUCTOSE: *see* Carbohydrate metabolism
FSH: *see* Gonadotropins

GALL BLADDER: *see* Liver
GAMMA CELLS: *see* Pituitary, physiology and pathology
GASTRO-INTESTINAL
—— anorexia nervosa and gastro-intest. cachexia; response to SU-4885 test for pituitary reserve, 875
—— gastric HCl; effect of fructose+insulin on, 509
—— gastro-intestinal operations; adrenal response to stress, 849
—— gut; bacterial activity reduced by neomycin; effect on 17-KS, 444
—— intestinal absorption of calcium; effect of mytatrienediol, 1581
—— intestinal compensation re hypercalciuria of sarcoidosis and vitamin D therapy, 658
—— rectal infusion of cortisol in case of ulcerative colitis; excretion of 17-KS following, 444
—— stomach extensively calcified in unusual case of idiopathic hypoparathyroidism, 1633
GENETIC: *see* Ovary; Testis; Sex
GESTATION: *see* Pregnancy
GLOBULIN: *see* Protein
GLOMERULAR FILTRATION RATE: *see* Kidney
GLUCAGON: *see* Carbohydrate metabolism
GLUCOSE: *see* Carbohydrate metabolism; Diabetes mell.; Insulin
GLUCOCORTICOIDS: *see* Adrenal preps. & comps.
GLUTAMIC-OXALACETIC & PYRUVIC transaminases: *see* Enzymes
GLYCOCYAMINE: *see* Betacyamine
GLYCOSURIA: *see* Carbohydrate metabolism; Diabetes mell.
GOITER: *see* Thyroid disorders
GONADAL DYSENESIS: *see* Ovary; Testis
GONADOTROPINS: *see also* Pituitary preps. & comps.; Pregnancy
—— chorionic; effect in Klinefelter's syn., 1667
—— chorionic; effect on estrogen excretion in sisters with gonadal dysgenesis, 995
—— chorionic; effect on urinary 17-KS in 10-year-old girl with congen. ad. hyperplasia, 847
—— chorionic; effect on urinary pregnanetriol in 9 men with functioning testes, 1399
—— chorionic; excretion in bilat'y adrenalect'd woman with pre-eclampsia, 987
—— chorionic; response to, in familial male pseudohermaphrodism, 1110
—— excessive urine and tumor content of, in case of precocious puberty+hepatoma, 1651
—— excretion in a case of complete sex reversal, 375
GONADOTROPINS (*cont'd.*)
—— excretion in man with estrogen-secreting IC tumor of testis and transient recurr. gynecomastia, 1331
—— excretion in patients with gonadal dysgenesis and metacarpal sign, 1312
—— excretion in pituitary dwarf treated with human growth hormone, 759
—— excretion in postpartum pituitary necrosis, 1420
—— excretion in thyrotoxicosis or thyroid adenoma developing after hypophysectomy, 717
—— excretion in two boys with mult. congenital abnorms. and spermatogenic precocity, 1103
—— excretion in unusual case of ad. dysfunction in the male; effect of prednisone, 1506
—— FSH excretion in sisters with gonadal dysgenesis, 995
—— FSH, urinary, in some patients with myxedema, 895
—— HCG; effect on plasma 17-OH-CS, dehydroepiandrosterone and androsterone, 1405
—— homogeneous gonadotropin (HMG); prepration of, from human menopausal urine; FSH and LH activity, 827
—— HPG; assay of, from male and postmenopausal urine; question of dual nature, 518
—— HPG, urinary; effects of 2-methyl-dihydrosterone and of testosterone on, 603
—— ICSH in urine; seminal vesicle-colchicine test for determination of, 980
—— precocious gonadotropin secretion in 6-year-old girl with congen. ad. hyperplasia, 844
GONADS: *see* Ovary; Testis
GOUT; effect of glucagon on renal excretion of uric acid and N in, 1274
GRANTS
—— awards: *see* Endocrine Society; Am. Goiter A.; Am. Urological A.
—— grant-in-aid: *see* Am. Soc. Study of Sterility
—— grants of hormones: *see* National Institutes of Health
—— training programs: *see* National Institutes of Health
GRAVES' DISEASE: *see* Thyroid disorders, hyperthyroidism
GROWTH: *see also* Children
—— dwarfism: *see* Dwarfism
—— effect of exophthalmic goiter on, in children, 138
—— hormone: *see also* Pituitary preps. & comps
—— hormone (Li): metabolic changes produced by in a pituitary dwarf, 759
—— rate of growth in 14-year-old boy with ant. pit. insuff'y and dwarfism; failure of insulin to induce a change in, 248
GYNECOMASTIA: *see* Breast
GUANIDOACETIC ACID (glycocyamine): *see* Betacyamine

HAIR
—— hirsutism and infertility in women; treatment with small doses of adrenal steroids, 1069
—— hirsutism in young women; pattern of serum proteins and steroid excretion, 252
—— hirsutism; taurine excretion in, 1126
—— hirsutism: *see also* Adrenal disorders; Cushing's syndrome; Virilization
—— of body in old people, 1597
HAND-SCHÜLLER-CHRISTIAN DISEASE treated with cortisone and ACTH; disappearance of bone lesions, 239
HASHIMOTO'S THYROIDITIS: *see* Thyroid disorders
HCG (human chorionic gonadotropin): *see* Gonadotropins
HEART
—— basal heart rate; effect of *dl*-3,3',5'-triiodothyronine on in Graves' disease, 1344
—— congestive heart failure; stim. of aldosterone secretion by ACTH, 1185
—— coronary artery disease; effect of betacyamine on atherogenic index, 770
—— muscle in acute fatal parathyroid poisoning, 1481
—— myocardial infarction; cells of adenohypophysis in, 958
—— severe heart disease; alterations of thyroid function in, measured by I^{131}, 949
—— supraventricular tachycardias; turnover of i.v. thyroxine-I^{131} and erythrocyte uptake of T_3^{131} in; effect of KI, 92
HEAT: *see* Temperature
HEPATITIS: *see* Liver
HEPATOMA: *see* Liver
HEREDITY: *see* Congenital; Familial
HERMAPHRODISM: *see* Adrenal disorders; Ovary; Testis; Sex
HEXURONIC acid in the thyroid, 257
HIRSUTISM: *see* Hair; Adrenal disorders; Cushing's syndrome; Virilization
HORMONES: *see also* Androgens; Estrogens; Endocrine; Gonadotropins; Insulin; Progesterone; Steroids; and under various endocrine glands
—— available at NIH: *see* National Institutes of Health
—— hormonal factors; evaluation of re low 17-KS excretion in bilharzial cirrhosis, 1626
—— relation to loss of body hair in old people, 1597
—— role of, in human behavior, 193
—— whence and whither, 1563
HUMAN
—— gonadotropin (HCG, HPG): *see* Gonadotropins
—— growth hormone (Li): *see* Pituitary preps. & comps.
HYDROCORTISONE: *see* Adrenal preps. & comps.
HYDROLYSIS: *see* Methods
11β-HYDROXYANDROSTERONE: *see* Adrenal preps. & comps.
17-HYDROXYCORTICOSTEROIDS (17-OH-CS): *see* Adrenal preps. & comps.
17-HYDROXYDESOXYCORTICOSTERONE: *see* Adrenal preps. & comps.
11β-HYDROXYETIOCHOLANOLONE: *see* Adrenal preps. & comps.
17-HYDROXYPREGNANOLONE: *see* Adrenal preps. & comps, C-21 methyl steroids
17-HYDROXYPROGESTERONE: *see* Progesterone
HYPERALDOSTERONISM: *see* Adrenal disorders
HYPERCALCIURIA: *see* Calcium
HYPERGLYCEMIA: *see* Carbohydrate metabolism; Diabetes mell.
HYPERTELORISM: *see* Eyes
HYPERTENSION: *see* Vascular system
HYPERTHYROIDISM: *see* Thyroid disorders, hyperthyroidism
HYPERTRICHOSIS: *see* Hair, hirsutism
HYPNOSIS: *see* Mental
HYPOGENITALISM: *see* Ovary; Testis; Pituitary disorders
HYPOGLYCEMIA: *see* Carbohydrate metabolism; Diabetes mell.; Insulin
HYPOGONADISM: *see* Ovary; Testis
HYPOMETABOLISM: *see* Basal metabolism; Thyroid disorders
HYPOPARATHYROIDISM: *see* Parathyroids
HYPOPITUITARISM: *see* Pituitary disorders
HYPOPHYSECTOMY: *see* Pituitary
HYPOPHYSIS: *see* Pituitary
HYPOTHYROIDISM: *see* Thyroid disorders, hypothyroidism

ICSH (interstitial-cell stimulating hormone): *see* Gonadotropins
IDIOPATHIC HYPOPARATHYROIDISM: *see* Parathyroids
IMMUNOLOGY: *see* Antibodies
INDEX TO VOLUME 19: author, 1700; subject, 1708
INDIA, severe endemic goiter area; correlation of deafmutism, mental retardation and goiter with serum PBI and BEI in non-cretins, 228
INDIANS, Venezuelan; elevated thyroidal I^{131} uptake in absence of goiter, 1440
INFANTS: *see* Children; Pregnancy, fetus
INFECTIONS, various; inc'd excretion of catechol amines in, 1037
INFERTILITY: *see* Ovary; Testis; Sex
INSULIN: *see also* Carbohydrate metabolism; Diabetes mell.
—— failure of, to induce change in rate of growth in 14-year-old boy with ant. pit. insuff'y and dwarfism, 248
—— insulin plus fructose; utilization by nervous system, 509
—— insulin-glucose tolerance curves in obesity, in study of adrenocort. function, 344
—— insulin tolerance in postpartum pituitary necrosis, 1420
—— of blood foll'g operation in woman with islet-cell ca. of pancreas+Cushing's syn.; (no insulin in tumor tissue post mortem), 1134
—— requirements in diabetes+Addison's disease, 797
—— resistance due to neutralizing antibodies (studies with insulins from various species), 1055
—— sensitivity in diabetes mell. with pituitary destruction, 1642

INTERNATIONAL
—— Congress of Endocrinology: *see* Endocrine Society
—— Congress of Internal Medicine, 618
—— Congress on Irradiation of Endocrine Organs, 508
—— Goiter Conference: *see* American Goiter Association
—— Overseas meeting, Academy of Pathology, 1521
—— Society of Cybernetic Medicine, founding, 1182
—— Symposium on Drugs Affecting Lipid Metabolism, 1699
—— Symposium on Radioactive Isotopes in Clinical Medicine and Research, 872
INTERPRETATION of steroid half-life values, 854
INTERSEX: *see* Ovary; Testis; Sex
INTER-SOCIETY CYTOLOGY COUNCIL meeting, 872
INTERSTITIAL-CELL STIMULATING HORMONE (ICSH): *see* Gonadotropins
INTERSTITIAL CELLS: *see* Testis
INTESTINES: *see* Gastro-intestinal tract
IODINE: *see also* Thyroid
—— butanol-extractable iodine; interference by copper in det'n of, 380
—— effect of KI in supraventric. tachycardia, 92
—— exogenous; effect on *in vitro* erythrocyte uptake of T_3^{131}, 103
—— iodide; effect on action of TSH after hypophysectomy, 19
—— iodide, stable; effects of varying amounts on thyroid function, 567
—— iodinated compounds: *see also* Thyroid preps. & comps.
—— iodinating system; defect in, in congen. goitrous cretinism, 1446
—— iodotyrosine deshalogenase activity in normal and diseased thyroids, 1282
—— Lugol's solution; effect in P^{32} study of thyroidal cellular metabolism, 306
—— metabolism in goitrous cretins, 638
—— PBI and BEI in non-cretins correlated with goiter, deafmutism and mental retardation in severe endemic goiter area of India, 228
—— PBI and free iodine of serum; effect of oral Lipiodol on, 234
—— PBI and I^{131} uptake; effect of hypophysectomy on in Graves' disease, 840
—— PBI and TBG in various disorders, 84
—— PBI and TBP in liver disease, 466
—— PBI and the ten-minute uptake of I^{131} in diagnosis, 557
—— PBI and thyroxine turn over; effect of prolonged sleep therapy and chlorpromazine on, 692
—— PBI and urinary I^{127} compared with thyroidal I^{131} re daily variations, 632
—— PBI after implantation of pituitary with Y^{90} for treat. of malig. exophthalmos, 583
—— PBI, BEI and I^{131} uptake in offspring of hypo- and hyperthyroid mothers, 1
—— PBI, BMR and thyroidal secretion rate; effect of T_3 and T_4 on, in various thyroid states, 317

IODINE (*cont'd.*)
—— PBI; effect of estrogen and androgen on, 783
—— PBI in pituitary dwarf treated with human growth hormone, 759
—— PBI; lack of diurnal variation in, 1495
—— therapy; effect on *in vitro* RBC uptake of I^{131}-*l*-T_3, 1292
RADIOACTIVE
—— I^{131} clearance and PBI in assay of thyroidal function in diabetes, 330
—— I^{131} in placenta, blood and muscle of hypo- and hyperthyroid dogs and their pups, 1
—— I^{131} techniques in study of thyroid function in severe heart disease, 949
—— I^{131} therapy for hyperthyroidism in children; thyroid nodules following, 127
—— I^{131}; thyroidal accum. and renal clearance; failure of diethylstilbestrol to affect, 1245
—— I^{131}; thyroidal accum. of; effect of TSH on in thyrotoxicosis, 1252
—— I^{131}-thyroxine survival time; effect of estrogen and androgen, 783
—— I^{131}-treated Graves' disease; development of acropachy, 1323
—— I^{131}-*l*-triiodothyronine; RBC uptake *in vitro;* experience with in routine clinical laboratory, 1292
—— I^{131} uptake and PBI during 48-hour ACTH test in thyroid disease, 895
—— I^{131} uptake and PBI during T_3 therapy in psychiatric disorders, 454
—— I^{131} uptake and PBI; effect of hypophysectomy on in Graves' disease, 840
—— I^{131} uptake and PBI; effect of oral Lipiodol on, 234
—— I^{131} uptake and PBI^{131}; effect of TSH; time- and dose-reponse relationships, 28
—— I^{131} uptake and PBI in acromegaly; effect of hypophysectomy, 1500
—— I^{131} uptake and PBI in Hashimoto's thyroiditis and related thyroidal disorders, 45, 53
—— I^{131} uptake and PBI in hypophysect'd patients; action of TSH on, as influenced by iodide, 19
—— I^{131} uptake and PBI in postpartum pituitary necrosis, 1420
—— I^{131} uptake and PBI in unusual case of idiopathic hypoparathyroidism; effect of TSH, 1633
—— I^{131} uptake and serum levels in study of effect of varying amounts of stable iodide on thyroid function, 567
—— I^{131} uptake; daily variations in, 632
—— I^{131} uptake elevated in absence of goiter, in Venezuelan Indians, 1440
—— I^{131} uptake in Addison's disease complicated by Graves' disease, 1497
—— I^{131} uptake in congenital goitrous cretinism; effect of thiocyanate, 1446
—— I^{131} uptake, PBI and TI; effect of *dl*-3, 3',5'-triiodothyronine on, in Graves' disease, 1344
—— I^{131} uptake, PBI^{131}, BEI^{131}, radioiodi-

IODINE (*cont'd.*)
RADIOACTIVE (*cont'd.*)
nated thyronines and tyrosines in goitrous cretins, 638
—— in study of effect of TSH on turnover rates of thyroxine and triiodothyronine, 733
—— in study of hormonal biosynthesis in fetal thyroid, 1437
—— in study of lingual goiter, 363
—— in study of serum patterns of thyroid hormones, 548
—— in study of thyroid adenoma or thyrotoxicosis developing after hypophysectomy, 717
—— plasma thyroxine^{131} turnover and PBI; effect of prolonged sleep therapy and of chlorpromazine on, 692
—— radioiodinated compounds of serum in euthyroid and hyperthyroid patients; effect of hypophysectomy, 953
—— ten-minute I^{131} uptake; clinical study, and comparison with other tests, 557
—— turnover of i. v. thyroxine-I^{131} and erythrocyte uptake of T_3^{131} in supraventric. tachycardias, 92
IODOTHYRONINES: *see* Iodine; Thyroid preps. & comps.
IODOTYROSINE DESHALOGENASE: *see* Enzymes; Iodine
IODOTYROSINES: *see* Thyroid preps. & comps.; Iodine
ION EXCHANGE CHROMATOGRAPHY: *see* Methods
IRON, of serum in sleep and activity, 432; in diabetes+pit. destruct., 1642
IRRADIATION: *see* Radioactive; Roentgen rays
ISLET-CELL CARCINOMA: *see* Pancreas

JAUNDICE: *see* Liver
JOURNAL OF CLINICAL ENDOCRINOLOGY AND METABOLISM
—— Acknowledgments, 869
—— Contents of Vol. 19 (1959), page i, December issue
—— Editorial Board, Editors, Publications Committee: *see* editorial page, front section, each issue
—— Index, year 1959 (Vol. 19): author, 1700; subject, 1708
—— Letters to the Editor: *see* Letters to the Editor
JUVENILE: *see* Children

17-KETOGENIC STEROIDS (17-KGS); *see* Adrenal preps. & comps.; 17-OH-CS; Steroids
17-KETOPREGNANETRIOL: *see* Adrenal preps. & comps, C-21 methyl steroids
17-KETOSTEROIDS: *see* Steroids, 17-KS; also Adrenal preps. & comps.
KIDNEY: *see also* Urine
—— diminished renal function and states of edema; acute effects of parathyroid extract in; tubular reabsorp. of P, 681
—— diuresis: *see also* Pituitary disorders (diabetes insip.); preps. & comps., (antidiuretic hormone, post. pit. extr.); Water
KIDNEY (*cont'd.*)
—— in acute fatal parathyroid poisoning, 1481
—— nephrosis; *in vitro* RBC uptake of T_3^{131} in, 103
—— renal action of glucagon, 1274
—— renal and thyroidal function in diabetes, 330
—— renal clearance of I^{131}; failure of diethylstilbestrol to affect, 1245
—— renal clearance of I^{131} in goitrous cretins, 638
—— renal clearance of plasma cortisol, 1223
—— renal disease; hydrocortisone *vs.* prednisolone metab. in, 526
—— renal excretion of NaCl; influence on excretion of Mg and other ions, 1192
—— renal function in chronic adrenocort. dysfunction, 1023
—— renal reabsorption of phosphate in unusual case of idiopathic hypoparathyroidism, 590
—— renal status in hypercalciuria of sarcoidosis, 638
—— tubular reabsorption of phosphate in the diff. diagnosis of metabolic bone disease and renal calculi, 1212
—— uremia; TSH content of hypophysis in, 35
KINETICS of glucose utilization; new method of data analysis, 1258
KLINEFELTER'S SYNDROME: *see* Testis; Sex
KOCH MEDAL OF THE ENDOCRINE SOCIETY: *see* Endocrine Society awards

LACTATION: *see* Breast
LACTONE, steroidal: *see* SC-9420
LAURENTIAN HORMONE CONFERENCE, program, 390
LETTERS TO THE EDITOR, 263, 266, 269, 375, 380, 485, 487, 490, 603, 608, 732, 733, 840, 844, 847, 849, 854, 1004, 1011, 1344, 1346, 1350, 1352, 1357, 1486, 1491, 1495, 1497, 1500, 1503, 1506, 1510, 1680, 1682, 1683
LEUKOCYTES: *see* Blood; Sex, chromatin
LEYDIG CELLS: *see* Testis, interstitial cells
LH: *see* Gonadotropins
LI GROWTH HORMONE (human): *see* Pituitary preps. & comps.
LINGUAL GOITER: *see* Thyroid disorders
LIPIDS: *see* Cholesterol; Protein, lipoproteins
LIPIODOL, oral: effect on I^{131} uptake and PBI, 234
LIPOPROTEINS: see also Cholesterol; Protein
—— of serum; effect of betaine on, 770
—— of serum; effect of thyroxine on, 117
LIVER
—— bilharzial cirrhosis; excretion of 17-KS; effect of testosterone on, 1626
—— cirrhosis; attempts to assay melanophore hormone in blood, 1553
—— cirrhosis; *in vitro* RBC uptake of T_3^{131} in, 103
—— cirrhosis; renal clearance of plasma cortisol in, 1223
—— cirrhosis; serum TBG in, 84
—— cirrhosis with ascites; role of K in Na response to steroidal lactone (SC-9420) in, 1683
—— cirrhosis with edema; actue effects of parathyroid extract in, 681

LIVER (*cont'd.*)
—— cirrhosis without jaundice; TSH content of hypophysis in, 35
—— damage in pregnant women; relation to serum G-O and G-P transaminases, 425
—— disease; effect on *in vitro* RBC uptake of I^{131}-*l*-T_3, 1292
—— disease; excretion of catechol amines in, 1037
—— disease; hydrocortisone *vs.* prednisolone metab. in, 526
—— disease; relationship between liver, thyroid and serum TBP in, 466
—— hepatoma (assayed for gonadotropin) and precocious puberty, 1651
—— post-hepatitis euthyroid man without TBG, 485
LONG-ACTING
—— forms of ACTH, 711
—— versus short-acting corticosteroids, 1682
—— zinc-ACTH: *see* Pituitary preps. & Comps., ACTH
LUNGS
—— calcification, in unusual case of idiopathic hypoparathyroidism, 1633
—— in acute fatal parathyroid poisoning, 1481
—— in sarcoidosis with hypercalcemia, 638
LUTEINIZING HORMONE (LH): *see* Gonadotropins
LYMPH NODES; deshalogenase activity in, 1282
LYMPHOCYTIC thyroiditis: *see* Thyroid disorders

MAGNESIUM: *see also* Electrolytes; Sodium
—— excretion; influence of NaCl excretion on, 1192
MALE: *see* Testis; Sex
MAMMARY GLAND: *see* Breast
MASCULINIZATION: *see* Androgens; Virilization
MATERNAL: *see* Pregnancy
MEDAL: *see* Endocrine Society awards
MEDULLARY carcinoma of the thyroid: *see* Thyroid disorders
MEETINGS: *see* Announcements
MELANOPHORE HORMONE: *see* Pituitary preps. & comps.
MENOPAUSE: *see* Menstruation; Ovary
MENSTRUATION: *see also* Estrogens; Progesterone; Ovary; Uterus
—— amenorrhea; first sign of pituitary destruction in diabetes, 1642
—— amenorrhea, primary, in 3 sisters with gonadal dysgenesis, 995
—— anovulatory women; effect of i.v. progesterone in, 732
—— menopausal urine; homogeneous gonadotropin prepared from, 827
—— menses; effect on *in vitro* RBC uptake of I^{131}-*l*-T_3, 1292
—— menstrual cycle; changes in diabetes insip. during, 805
—— menstrual cycle; cornification in vaginal, buccal and urinary smears during, 281
—— menstrual cycle; estrogen excretion during, in breast cancer, 1230
—— menstrual cycle; ICSH excretion as det'd by seminal vesicle-colchicine test, 980
—— ovulation in infertile women treated with small doses of adrenal steroids, 1069
MENSTRUATION (*cont'd.*)
—— postmenopausal urine; assay of HPG in, 518
—— sexual precocity: *see* Adrenal disorders; Ovary; Puberty, precocious; Testis
MENTAL: *see also* Brain; Nervous system; Stress
—— anxiety, hypnotically-induced; effect on plasma hydrocortisone, 700
—— anxiety states; 10-minute I^{131} uptake in, 557
—— behavior; role of hormones in, 193
—— feeble-minded *vs.* normal men (castrated and intact); urinary 17-KS and 17-OH-CS in, 535, 1680
—— mental retardation, deafmutism and goiter correlated with PBI & BEI in noncretins of a severe endemic goiter area in India, 228
—— psychiatric disorders (incl. schizophrenia); influence of 3:5:3′-triiodothyronine on Ca and P metab. in, 454
—— psychoses; excretion of catechol amines in, 1037
—— psychotic behavior in unusual case of idiopathic hypoparathyroidism, 590
—— schizophrenia; effect of thyroxine on serum lipoproteins & cholesterol in, 117
—— schizophrenic males; effect of prolonged sleep therapy and of chlorpromazine on PBI and thyroxine turnover in, 692
—— stress: *see* Stress
METABOLIC INSUFFICIENCY: *see* Basal metabolism; Thyroid disorders, hypothyroidism
METACARPALS: *see* Bone
METHIMAZOLE
—— effect in P^{32} study of thyroidal cellular metabolism, 306
—— in study of release of thyroid hormone in various thyroid states, 317
METHODS: *see also* Tests
—— chemical determination of aldosterone in urine, 1302
—— direct and indirect estimation of ACTH reserves foll'g ad. steroid therapy, 1540
—— double isotope derivative method for det'n of cortisol, 1223
—— experiences in a routine clinical laboratory with *in vitro* RBC uptake of I^{131}-*l*-triiodothyronine, 1292
—— falsely elevated values for 17-KS and 17-OH-CS during ingestion of TAO, 1350
—— for assay of HPG, 518
—— for assay of melanophore hormone, 1553
—— for concentration of growth hormone from human plasma, 1049
—— for determination of aldosterone in urine, 1151
—— for isolation and indentif'n of estrone, estradiol and estriol in pregnancy plasma, 1619
—— for preparing homogeneous gonadotropin from menopausal urine, 827
—— for progesterone in plasma, 213
—— hydrolysis of estrogen conjugates in diabetic pregnancy urines, 1352
—— *in vitro* erythrocyte uptake of T_3^{131}: *see* Tests

METHODS (*cont'd.*)
—— interference by copper in det'n of BEI, 380
—— ion exchange chromatography for separation of TSH from plasma, 831
—— isolation of F glycol-20α and 20β isomer from human adrenal incubates, 487
—— new chromatographic solvent system for separating substance *S* from corticosterone (adrenal vein blood), 812
—— new method of data analysis re glucose utilization, 1258
—— rabbit aortic-strip method for assay of catechol amines; effect of certain drugs on, 1037
—— simplified method for simultaneous det'n of 17-KS, 17-OH-CS and dehydroepiandrosterone in serum, 1162
—— simplified technique for serum globulin thyroxine-binding capacity, 84
METHYL CORTICOSTEROIDS: *see* Adrenal preps. & comps.
19-METHYL GROUP versus 19-nor group in anabolic steroids, 921
2-METHYL-1,2-BIS-(3-PYRIDYL)-1-PROPANONE: *see* SU-4885
2-METHYL-DIHYDROTESTOSTERONE: *see* Androgens
METHYLTESTOSTERONE: *see* Androgens
MONOIODOTYROSINE: *see* Thyroid preps. & comps.
MORTALITY: *see* Dying; Surgery
MUCOPOLYSACCHARIDE, acid, in the thyroid; effect of TSH, 257
MUSCLE
—— electrolyte content of, in case of adrenocort. hyperplasia+metast. cancer of prostate, 967
—— I^{131} content in hypo- and hyperthyroid dogs and their pups, 1
—— incorporation of P^{32} into, in diseases of the thyroid, 306
—— muscular dystrophy; effect of Lipiodol on serum PBI in 2 cases, 234
MUSCULAR DYSTROPHY: *see* Muscle
MYOCARDIAL INFARCTION: *see* HEART
MYTATRIENEDIOL; metabolic effects of in man, 1581
MYXEDEMA: *see* Thyroid disorders, hypothyroidism

NATIONAL INSTITUTES OF HEALTH, USPHS
—— new clinical center study on the Stein-Leventhal syndrome, 1522
—— purified FSH available, 618
—— training programs, 508, 741
—— symposium on recent developments in research methods and instrumentation, 742
NATRIURETIC: *see* Sodium
NEOMYCIN: *see* Antibiotics
NEOPLASMS: *see* Cancer; Tumors
NEPHROPATHY; NEPHROSIS: *see* Kidneys
NERVOUS SYSTEM: *see also* Brain; Mental; Stress
—— neural control re thyroid function; effect of prolonged sleep and chlorpromazine, 692
—— recurrent laryngeal nerves; incidence of injury re surgical treat. of ex. g. in children, 138
NERVOUS SYSTEM (*cont'd.*)
—— utilization of fructose by, 509
NEWBORNS: *see* Children; Pregnancy, fetus
NEW YORK
—— Academy of Medicine; postgraduate week, 1182
—— Heart Association; scientific session, 742
—— University, Post-Graduate School of Medicine, course in gynecologic endocrinology, 177, 1020
NILEVAR (norethandrolone): *see* Androgens
NITROGEN: *see also* Protein; Uric acid
—— balance in boy 14 years old with ant. pit. insuff'y; effect of insulin on, 248
—— balance in pituitary dwarf treated with human growth hormone, 759
—— balance in pregnancy and the puerperium, 403
—— balance in relation to Ca and P metab.; effect of 3:5:3′-triiodothyronine on in psychiatric patients, 454
—— balance in study of hypercalciuria, 658
—— creatinine and phosphate clearances in metabolic bone disease, 1212
—— creatinine in study of aldosterone excretion in 2 adrenalect'd pregnant women, 1486
—— creatinine metabolism; effect of mytatrienediol on, 1581
—— endogenous creatinine; "24-hour clearance" during salt restriction and in adrenal insuff'y, 1195
—— excretion in study of anabolic steroids, 921
—— N terminal amino acids in homogenous gonadotropin, 827
—— total N, urea N, creatinine clearance and uric acid; effect of glucagon on renal excretion of, 1274
19-NOR versus 19-methyl group in anabolic steroids, 921
NOREPINEPHRINE: *see* Adrenal preps. & comps.
NORETHANDROLONE (19-nortestosterone, 17α-ethyl): *see* Androgens
NORETHYNODREL (17-ethynylestrenolone): *see* Androgens; Progestins
19-NOR-17α-ETHYNYLTESTOSTERONE (Norlutin): *see* Androgens; Progestins
NORMAL MALES AND FEMALES: *see* Sex; Ovary; Testis
NORTESTOSTERONE: *see* Androgens
NOTICES: *see* Endocrine Society; Am. Goiter A.; and under Announcements
NUCLEAR
—— chromatin pattern: det'n of sex by: *see* Sex, chromatin
—— Nuclear-Medizin, publication, 1182
NUTRITION: *see* Diet; Gastro-intestinal tract; Growth; Obesity, Steroids, anabolic; Vitamins

OBESITY; adrenocortical function in; hydrocortisone disappearance rate, 344
OLD PEOPLE; body hair in, 1597
ORCHIECTOMY: *see* Testis
OOCYTES: *see* Ovary
OOPHORECTOMY: *see* Ovary
OSTEOPOROSIS: *see* Bone

OVARY: *see also* Breast; Estrogens; Gonadotropins; Menstruation; Pregnancy; Progesterone; Sex; Uterus
—— amenorrhea: *see* Menstruation; Pregnancy
—— arrhenoblastoma, virilizing; metab. of progesterone-4-C^{14} by, 297
—— bilaterally oophorect'd adrenalect'd women (breast cancer); changes in sexuality, 193
—— complete sex reversal; normal ovaries; male chromatin pattern, 375
—— disorders secondary to hypopituitarism: *see also* Pituitary disorders
—— estrogens: *see* Estrogens
—— female fetus; masculinizing action of certain oral progestins on, 1369
—— female infant; masculinization of in assoc. with estrogenic therapy during gestation, 1004
—— female sex chromatin pattern in twins with congen. virilizing ad. hyperplasia, 203
—— females; plasma hydrocortisone response to hypnotically-induced anxiety, 700
—— feminization, partial, and labial testes in familial male pseudohermaphrodism, 1110
—— gonadal dysgenesis in 3 sisters, 995
—— gonadal dysgenesis; metacarpal sign in, 1312
—— gonadotropin: *see also* Gonadotropins
—— menopausal urine; homogeneous gonadotropin prepared from, 827
—— menstrual cycle and disorders: *see also* Menstruation
—— normal females: *see also* Sex, comparisons
—— normal young women; effect of anabolic steroids in, partic'y the 19-methyl group, 921
—— old females; loss of body hair in, 1597
—— oocytes in seminiferous tubules; bilat. ovotestes, 1661
—— ovarian disorders; ICSH excretion in det'd by seminal vesicle-colchicine test, 980
—— ovarian dysfunction (incl. hirsutism and infertility); treatment with small doses of cortisone or hydrocortisone, 1069
—— ovarian function in postpartum pituitary necrosis, 1420
—— ovarian irradiation and oophorectomy; influence on estrogen excretion in breast cancer, 1230
—— ovaries with G. follicles in 6-year-old girl with precoc. gonadotropin secretion and congen. ad. hyperplasia, 844
—— postmenopausal and oophorect'd women with breast cancer; effect of 2-methyldihydrotestosterone & testosterone on HPG excretion in, 603
—— postmenopausal urine; assay of HPG in, 518
—— pregnanediol and pregnanetriol excretion: *see* Pregnanediol; Pregnanetriol
—— pre-ovulatory and ovariect'd women; effect of CG on urinary pregnanetriol in, 1399
—— sex chromatin patterns: *see also* Sex, chromatin
—— progesterone: *see* Progesterone; Progestins
OVARY (*cont'd.*)
—— woman with active ovary but no uterus and vagina; cornification in vaginal, buccal and urinary smears, 281
—— women, anovulatory; effect of i.v. progesterone in, 732
—— young and elderly women; urinary β-cortolone in, 819
—— young women; comparative study of hydrocortisone and prednisolone in, 526
OVOTESTES: *see* Ovary; Testis
OVULATION: *see* Menstruation; Ovary
OXYGEN CONSUMPTION: *see* Basal metabolism

PAN AMERICAN MEDICAL ASSOC. Congress, 1521
PANCREAS: *see also* Carbohydrate metabolism; Diabetes mell.; Insulin
—— artificial; proposed methods for, 1563
—— functioning islet-cell carcinoma of, with Cushing's syndrome, 1134
PARATHYROIDS: *see also* Bone; Calcium
—— hyperparathyroidism, early diagnosis of; tubular reabsorp. of phosphate, 1212
—— hyperparathyroidism; relation to idiopathic hypercalciuria, 658
—— hypoparathyroidism; incidence foll'g subtot. thyroidectomy for ex. g. in children, 138
—— hypoparathyroidism successfully treated with new i.v. prep. of vitamin D_2, 224
—— idiopathic hypoparathyroidism; unusual case of, plus adrenal insuff'y, hypothyroidism and metast. calcification, 1633
—— idiopathic hypoparathyroidism; unusual response to vit. D_2; effects of A.T.10 and parathyroid hormone, 590
—— parathyroid extract; acute effects in edema, diminished renal function and parathyroid disease, 681
—— parathyroid poisoning, acute, fatal, assoc'd with necrosis of parathyroid adenoma prior to death, 1481
—— pseudohypoparathyroidism and other anomalies; metacarpal findings, 1312
—— pseudo-pseudohypoparathyroidism with unusual features, incl. ossification of pinna; effect of parathyroid extract and calcium, 478
PARENCHYMAL findings in thyroidal carcinoma, 162
PAROTID FLUID: *see also* Saliva
—— 17-OH-CS of, foll'g i.m. admin. of repository corticotropin, 1477
PBI: *see* Iodine
PERIODIC FEVER: *see* Temperature
PHEOCHROMOCYTOMA: *see* Adrenal disorders
PHOSPHATASE: *see* Enzymes; Phosphorus
PHOSPHORUS: *see also* Bone; Calcium; Parathyroids
—— acid and alk. phosphatase of serum in 3 sisters with gonadal dysgenesis, 995
—— and alk. phosphatase of blood in unusual case of idiopathic hypoparathyroidism, 1633
—— and calcium metab.; effect of 3:5:3′-triiodothyronine on in psychiatric patients, 454

PHOSPHORUS (*cont'd.*)
—— balance in pituitary dwarf treated with human growth hormone, 759
—— balance in study of hypercalciuria, 658
—— metabolism; effect of mytatrienediol on, 1581
—— metabolism in case of acute fatal parathyroid poisoning, 1481
—— of serum in unusual case of pseudo-p. hypoparathyroidism; effect of parathyroid extract & calcium; Ellsworth-Howard test, 478
—— P^{32} uptake as measure of cellular metab. in the thyroid; thyroid-serum ratios, 306
—— phosphatase (acid, alkaline): *see also* Enzymes
—— phosphate; tubular reabsorp. of in the diff. diagnosis of metabolic bone disease, 1212
—— tubular reabsorp. of; effect of parathyroid extract on in renal and parathyroid disease, 681
—— unusual response to vit. D_2 in idiopathic hypoparathyroidism; effect of A.T.10, 590
PIGMENT: *see also* Adrenal disorders, Addison's disease
—— hyperpigmentation appearing at age 3–4 years in 2 brothers with Addison's disease, 726
—— melanophore hormone in blood; attempts to assay in normal and pigmented persons, 1553
—— pigmentation in Cushing's syndrome with pituitary tumor, 1523
PINNA: *see* Ear
PITRESSIN: *see* Pituitary preps. & comps., antidiuretic hormone, vasopressin, post. pit. extract
PITUITARY
DISORDERS
—— absence of pituitary tissue in anencephalic fetus; synthesis of hormone by thyroid, 1437
—— acromegaly and hypopituitarism; sulfation factor activity of serum in, 743
—— acromegaly; growth hormone in plasma, 1049
—— acromegaly treated by hypophysectomy, 1500
—— acromegaly with hypercalciuria; calcium metab. in, 658
—— acromegaly with hyperthyroidism; effect of T_3 and T_4 on; release of thyroid hormone in, 317
—— basophil adenoma; beta and delta cells of, 621
—— diabetes insipidus; changes in, during pregnancy, lactation and menstrual cycle, 805
—— diabetes insipidus foll'g hypophysectomy; effect of pregnancy on control by vasopressin, 369
—— diseases; effect of stable iodide on I^{131} uptake in, 567
—— dwarf; metabolic changes produced in by human growth hormone (Li), 759
—— dwarfism; sulfation factor activity of serum in, 743
PITUITARY (*cont'd.*)
DISORDERS (*cont'd.*)
—— hypophyseal deficiency; metacarpal findings in, 1312
—— hypophysectomized breast-cancer patients: estrogen excretion in, 1230
—— hypophysectomized patients; effect of iodide on action of TSH re discharge of I^{131}, 19
—— hypophysectomized women; development of thyroid adenoma and thyrotoxicosis in, 717
—— hypophysectomy; effects of, on thyroid function in Graves' dis., 840
—— hypophysectomy in euthyroid and hyperthyroid patients; distribution of serum I^{131} compounds foll'g op., 953
—— hypopituitarism, chromophobe adenoma, acromegaly & traumatic diabetes insip.; 17-OH-CS response to SU-4885 in new test of pituitary reserve, 875
—— insufficiency and dwarfism in 14-year-old boy; failure of insulin to change rate of growth, 248
—— pituitary destruction in diabetes mellitus, 1642
—— postpartum pituitary necrosis; variations in endocrine gland function in, 1420
—— tumors (predominantly chromophobe) in patients with Cushing's syn., 1523
GONADOTROPINS: *see* Gonadotropins
PHYSIOLOGY & PATHOLOGY
—— adenohypophysis; alpha, beta, delta, gamma and chromophobe cells of, in thyroid disorders, 958
—— amphophil cells of, in precoc. puberty +hepatoma, 1651
—— beta and delta cells; response to adrenocort. disorders; role of gamma cells, 621
—— cells of hypophysis in patients receiving long-term estrogen therapy, 1381
—— implantation with Y^{90} in Cushing's syndrome, 1144
—— implantation with Y^{90} in treat. of malig. edematous exophthalmos, 583
—— microscopic pathology of pituitary, and ACTH content in patients treated with adrenal steroids, 1540
—— pituitary gland (Crooke's changes) in case of adrenocort. hyperplasia and metast. prostatic cancer, 967
—— pituitary reserve; clinical applic. of new test of, 875
—— slices of human adenohypophysis; stim. of respiration by estradiol-17β *in vitro*, 1357
—— TSH content of human hypophysis in various conditions, 35
PREPARATIONS & COMPOUNDS
ACTH (*adrenocorticotropic hormone*)
—— ACTH or corticosteroids; adrenocort. response to surgery in patients pretreated with, 1458
—— ACTH reserve; new SU-4885 test for, 875
—— ACTH reserves; direct and indirect

PITUITARY (*cont'd.*)
PREPARATIONS & COMPOUNDS (*cont'd.*)
ACTH (*adrenocorticotropic hormone*) (*cont'd.*)
estim. of foll'g adrenal steroid therapy, 1540
—— ACTH test for adrenal function in familial male pseudohermaphrodite, 1110
—— ACTH test, 48-hour; adrenocort. response to, in myxedema and hyperthyroidism, 895
—— effect in Cushing's syn. treated by implant'n of Y^{90} into the pituitary, 1144
—— effect on adrenal steroids in unusual case of idiopathic hypoparathyroidism, 1633
—— effect on diurnal variation in plasma 17-OH-CS, 432
—— effect on excretion of NaCl, Mg and K, 1195
—— effect on 17-OH-CS and 17-KS in postpartum pituitary necrosis, 1420
—— effect on production of corticoids in pure primary aldosteronism, 1081
—— effect on taurine excretion in adrenocort. disorders, 1126
—— effect on urinary steroids in unusual case of adrenal dysfunction in the male, 1506
—— in treatment of Hand-Schüller-Christian disease, 239
—— intravenously in man with intact adrenals; effect of estrogen on cortisol metab., 1381
—— 17-KS response to i.v. ACTH in normal males, 849
—— plasma ACTH activity; rate of disappearance, 1491
—— plasma ACTH in boy with Addison's dis.; effect of ACTH on urinary corticoids, 726
—— prolonged ACTH therapy resulting in adrenal hyperresponsiveness (17-OH-CS), 269
—— prolonged i.v. admin. of small amts. of ACTH; plasma levels of 17-OH-CS during, 334
—— relation to beta and gamma cells of adenohypophysis, 621
—— repository corticotropin, i.m.; 17-OH-CS of parotid fluid, serum and urine foll'g, 1477
—— repository forms of ACTH (corticotropin-zinc); effect on urinary steroids, Na/K ratio and eosinophils, 711
—— response of 17-KS and 17-KGS to, in Cushing's syn., 1471
—— stimulation of aldosterone *vs.* cortisol secretion by, 1185
—— unresponsiveness to in aldosterone deficiency, 1023
—— zinc-ACTH, i.m.; effect on excretion of 17-KGS in normal subjects, 907
Pituitary Hormones (*general*)
—— ADH release; effect of subcortical stimulation of brain on, 1346
—— antidiuretic activity of vasopressin

PITUITARY (*cont'd.*)
PREPARATIONS & COMPOUNDS (*cont'd.*)
Pituitary Hormones (*general*) (*cont'd.*)
during pregnancy in hypophysect'd women with diabetes insip., 369
—— antidiuretic (vasopressin) requirements in diabetes insip. during pregnancy, lactation & menstrual cycle, 805
—— FSH (follicle-stimulating hormone): *see* Gonadotropins
—— gonadotropic hormones: *see also* Gonadotropins
—— growth hormone; effect on sulfation factor activity of serum, 743
—— growth hormone in human plasma, 1049
—— growth hormone (Li), human; metabolic changes produced by in a pituitary dwarf, 759
—— human pituitary gonadotropin (HPG): *see* Gonadotropins
—— melanophore hormone; attempts to assay in blood of normal and pigmented persons, 1553
—— posterior pituitary extract; effect on production of corticoids in pure primary hyperaldosteronism, 1081
—— TSH; action on discharge of I^{131} in hypophysect'd patients; effect of iodide, 19
—— TSH content of human hypophysis, 35
—— TSH effect on acid mucopolysaccharide content of thyroid, 257
—— TSH effect on human thyroid function; time- and dose-response relationships, 28
—— TSH; effect on I^{131} uptake in infants born of hyperthyroid mothers, 1
—— TSH; effect on I^{131} uptake in postpartum pituitary necrosis, 1420
—— TSH; effect on I^{131} uptake in thyrotoxicosis, 1252
—— TSH; effect on iodine metab. in unusual case of idiopathic hypoparathyroidism, 1633
—— TSH; effect on turnover rates of thyroxine and triiodothyronine, 733
—— TSH, human; separation of from plasma by ion exchange chromatography, 831
PLACENTA: *see also* Gonadotropins, chorionic; Pregnancy
—— relation to inactivation of ADS during pregnancy in hypophysect'd woman with diabetes insip., 369
POLYDACTYLY, hypertelorism, unilat. cryptorchidism and spermatogenic precocity in 2 boys, 1103
POSTERIOR PITUITARY EXTRACT: *see* Pituitary preps. & comps., ADH, vasopressin and post. pit. extract
POSTGRADUATE
—— Assembly in Endocrinology and Metabolism: *see* Endocrine Society
—— courses: *see* Courses
POSTMENOPAUSAL: *see* Menstruation; Ovary
POSTPARTUM: *see* Pregnancy

POTASSIUM: *see also* Electrolytes; Sodium
—— and Na excretion; effect of i.v. *dl*-aldosterone acetate on, 289
—— balance in pituitary dwarf treated with human growth hormone, 759
—— balance in pregnancy and puerperium, 403
—— balance in pure primary hyperaldosteronism, 1081
—— balance in study of hypercalciuria, 658
—— excretion; acute effects of parathyroid extract on, 681
—— excretion in study of anabolic steroids, 921
—— excretion; influence of NaCl excretion on, 1192
—— hypokaliemic alkalosis, severe, in man with adrenocort. hyperplasia and metast. cancer of prostate, 967
—— metabolism in aldosterone deficiency, 1023
—— Na/K ratio; effect of zinc-ACTH on, 711
—— role of, in natriuretic response to a steroidal lactone (SC-9420), 1683
PRECOCIOUS
—— gonadotropin secretion in 6-year-old girl with congen. ad. hyperplasia, 844
—— puberty: *see* Puberty; Testis; Ovary
—— spermatogenic precocity in boys with unilat. cryptorchidism, 1103
PREDNISONE: PREDNISOLONE: *see* Adrenal preps. & comps.
PRE-ECLAMPSIA: *see* Pregnancy
PREGNANCY: *see also* Estrogens; Gonadotropins; Menstruation; Ovary; Progesterone; Progestins
—— abortion, threatened; danger to fetus of certain oral progestins used for, 1369
—— adrenalectomized pregnant women and their infants; aldosterone excretion in, 1486
—— and lactation; changes in diabetes insipidus during, 805
—— and puerperium; metabolic studies, 403
—— chorionic gonadotropin: *see also* Gonadotropins
—— comparison with effect of diethylstilbestrol on thyroidal accum. and renal clearance of I^{131}, 1245
—— diabetic pregnancy urines; hydrolysis of estrogen conjugates in, 1352
—— effect on *in vitro* RBC uptake of I^{131}-*l*-T_3, 1292
—— estrogenic therapy during; masculinization of female infants in assoc. with, 1004
—— fetal masculinizing action of certain oral progestins, 1369
—— fetal thyroids; development of hormonal biosynthesis in, 1437
—— hyperthyroid pregnant woman; PBI, BEI and erythrocyte uptake of T_3 in, 1
—— I^{131} in placenta, blood and muscle of hypo- and hyperthyroid dogs and their pups, 1
—— *in vitro* erythrocyte uptake of T_3^{131} in, 103
—— inactivation of antidiuretic activity of vasopressin (Pitressin) during, in hypophysect'd woman with diabetes insip., 369
—— lactation: *see also* Breast
—— maternal hypo- or hyperthyroidism: effect on thyroid function of fetus, 1
PREGNANCY (*cont'd.*)
—— parents and siblings of cretins; thyroid autoantibodies in, 179
—— plasma; isolation and identif'n of estrone, estradiol & estriol from, 1619
—— postpartum pituitary necrosis; variations in endocrine gland function in, 1420
—— pre-eclampsia in a bilat'y adrenalect'd woman; histology of placenta, 987
—— pregnancies in certain infertile women treated with small doses of adrenal steroids; normality of babies, 1069
—— pregnancy in woman with Addison's disease; no hydrocortisone or aldosterone during, 263
—— pregnanediol and pregnanetriol: *see* Pregnanediol: Pregnanetriol
—— progesterone in plasma by new method, 213
—— progesterone: *see also* Progesterone; Progestins
—— serum TBG and PBI in, 84
—— sulfation factor activity of serum in, 743
—— toxemia of; serum G-O and G-P transaminases in, 425
PREGNANE-3α,17α,20α-TRIOL-11-ONE (pregnanetriolone); lack of excretion in adrenal carcinoma, 608
PREGNANEDIOL: *see also* Progesterone; Progestins; Pregnancy; Adrenal preps. & comps.
—— and pregnanetriol excretion in unusual case of adrenal dysfunction in the male; effect of ACTH and prednisone, 1506
—— excretion in bilat'y adrenalect'd woman with pre-eclampsia, 987
—— excretion in six-year-old girl with gonadotropin secretion and ad. hyperplasia; effect of cortisone on, 844
—— excretion in ten-year-old girl with ad. hyperplasia, 847
—— excretion in two adrenalect'd pregnant women, 1486
PREGNANETRIOL: *see also* Progesterone; Progestins; Pregnancy; Adrenal preps. & comps.
—— effects of dexamethasone *vs.* prednisone on, in adrenogen. syndrome, 1503
—— excretion in aldosterone deficiency, 1023
—— excretion in bilat'y adrenalect'd woman with pre-eclampsia, 987
—— excretion in female twins with congen. virilizing ad. hyperplasia, 203
—— excretion in two adrenalect'd pregnant women, 1486
—— urinary, of testicular origin, 1399
Δ^4-PREGNENE-11β,17α,20α,21-TETROL-3-ONE and 20-β isomer; isolation from human adrenal incubates, 487
PROGESTERONE: *see also* Estrogens; Menstruation; Ovary; Pregnancy; Steroids
—— determination of, in plasma, 213
—— intravenous; effect in anovulatory women, 732
—— pregnanediol and pregnanetriol: *see* Pregnanediol; Pregnanetriol
—— progestins: *see also* Progestins
—— progesterone-4-C^{14}; conversion to 17-hydroxyprogesterone and androstenedione by an arrhenoblastoma, 297

PROGESTINS: *see also* Progesterone; Ovary; Pregnancy
—— 19-nor-17α-ethynyltestosterone, norethynodrel and 17α-ethynyltestosterone; fetal masculinizing action of, 1369
PROGRAMS: *see* Endocrine Society; Am. Goiter A.; Laurentian Hormone Conference; Rice Institute (Symposium on Parathyroid Research Trends)
PROPYLTHIOURACIL: *see* Thiouracil
PROSTATE: *see also* Testis
—— of rat; effect of norethandrolone and testosterone on weight of, 183
—— metastatic cancer of, with adrenocort. hyperplasia; inc'd aldosterone and glucocorticoid excretion, 967
—— prostatic cancer; effect of norethandrolone on 17-KS in, 183
—— prostatic cancer; influence of estrogen on 17-OH-CS in, 1381
PROTEIN: *see also* Nitrogen; Uric acid
—— hyperuricemia (persistent) during preeclampsia in bilat'y adrenalect'd woman, 987
—— in the chain of life, 1563
—— lipoproteins of serum; effect of betaine on, 770
—— lipoproteins of serum; effect of thyroxine on, 117
—— plasma protein-thyroid hormone complex, 103
—— protein-bound iodine: *see also* Iodine
—— serum globulin thyroxine-binding capacity in various disorders; simplified technique, 84
—— serum proteins (incl. gamma globulin); electrophoretic alterations of, in hirsutism, 252
—— taurine excretion; effect of high protein intake, 1126
—— thyroxine-binding globulin; a euthyroid man without, 485
—— thyroxine-binding protein and PBI in liver damage, 466
PSEUDOHERMAPHRODISM: *see* Ovary; Testis; Sex
PSEUDO-HYPOPARATHYROIDISM: *see* Parathyroids
PSYCHIATRIC: *see* Mental
PSYCHOSIS: *see* Mental
PSYCHOSOMATIC MEDICINE, Academy of; annual meeting, 1183
PUBERTY
—— normal: *see* Children; Ovary Testis
—— precocious, and hepatoma, 1651
—— precocious: *see also* Adrenal disorders; Ovary; Testis
—— precocity re gonadotropin secretion: *see* Gonadotropins
—— precocity re spermatogenesis: *see* Testis
PUBLIC HEALTH SERVICE: *see* National Institutes of Health
PUERPERIUM: *see* Pregnancy

RABBIT aortic-strip method for catechol amines: *see* Methods
RADIATION: *see* Radioactive; Roentgen rays
RADIOACTIVE
—— autoradiographic study of thyroid tissue in goitrous cretins, 638
—— 4-C^{14}-corticosteroids: *see also* Adrenal preps. & comps.
—— cortisol-21-acetate-C^{14}: *see* Adrenal preps. & comps.
—— 21-deoxyhydrocortisone-4-C^{14}: *see* Adrenal preps. & comps.
—— I^{131}: *see* Iodine, radioactive
—— P^{32}: *see* Phosphorus
—— progesterone-4-C^{14}; metabolism of by an arrhenoblastoma, 289
—— Sr^{85} and Ca^{5} metabolism; effect of mytatrienediol and SC-8246 on, 1581
—— sulfate-S^{35}: *see* Sulfation factor
—— testosterone-4-C^{14}: *see* Androgens
—— tetraiodothyropropionic acid: *see* Thyroid preps. & comps.
—— thyronines: *see* Thyroid preps. & comps.
—— thyroxine: *see* Thyroid preps. & comps.
—— tyrosines: *see* Thyroid preps. & comps.
—— yttrium^{90} implanted into the pituitary in treat, of malig. edematous exophthalmos, 583; Cushing's syn., 1144
RADIOIODINATED COMPOUNDS: *see* Iodine, radioactive; Thyroid preps. & comps.
RADIOIODINE: *see* Iodine, radioactive
RADIO-THYRONINES, THYROXINE & TYROSINES: *see* Thyroid preps. & comps.
RECIPIENTS OF AWARDS: *see* The Endocrine Society; Am. Goiter A.
RECTUM: *see* Gastro-intestinal tract
RECURRENT LARYNGEAL NERVE: *see* Nervous system
RENAL: *see* Kidney; Urine
REPOSITORY
—— corticotropin, i.m.; 17-OH-CS of parotid fluid, serum and urine foll'g admin. of, 1477
—— forms of ACTH, 711; *see also* Pituitary preps. & comps, ACTH
—— long-acting versus short-acting corticosteroids, 1682
REPRODUCTION: *see* Menstruation; Ovary; Pregnancy; Sex; Testis
RESPIRATION
—— lungs: *see* Lungs
—— oxygen consumption: *see* Basal metabolism
RETINOPATHY: *see* Eyes
RICE INSTITUTE; Symposium on Parathyroid Research Trends (program), 1366
ROENTGEN RAY
—— irradiation of ovaries; influence on estrogen excretion in breast cancer, 1230
—— x-ray examination of pituitary in cases of Cushing's syn. with pituitary tumor, 1523
ROUTINE clinical laboratory experience with *in vitro* erythrocyte uptake of I^{131}-labeled *l*-triiodothyronine, 1292

SALIVA: *see also* Parotid
—— I^{131} activity of, in study of thyroid function in severe heart disease, 949
—— salivary Na/K ratio; effect of i.v. *dl*-aldosterone acetate on, 289

SALT: *see* Sodium; Electrolytes
SARCOIDOSIS: hypercalciuria of; new suggestion re calcium metabolism; effect of cortisone analogues, 658
SC-8246; metabolic effects in man, 1581
SC-9420 (steroidal lactone); role of potassium in natriuretic response to, 1683
SCHERING SCHOLAR: *see* Endocrine Society, awards
SCHIZOPHRENIA: *see* Mental
SCHOLARS OF THE ENDOCRINE SOCIETY: *see* Endocrine Society, awards
SCHOLARSHIPS: *see* Endocrine Society, awards; Grants
SEMINAL VESICLE-COLCHICINE TEST for determination of pituitary ICSH in urine, 980
SEMINIFEROUS TUBULES: *see* Testis
SEX: *see also* Androgens; Estrogens; Ovary; Progesterone; Testis
—— chromatin bodies in cells of infant with bilat. ovotestes, 1661
—— chromatin in female infants masculinized in assoc. with estrogen therapy during gestation, 1004
—— chromatin in Klinefelter's syn. treated by CG, 1667
—— chromatin in patients with metacarpal sign, 1312
—— chromatin in three familial male pseudohermaphrodites, 1110
—— chromatin in two boys with mult. congenital abnormalities and spermatogenic precocity, 1103
—— chromatin pattern in three sisters with gonadal dysgenesis, 995
—— chromatin pattern in twins with congenital virilizing ad. hyperplasia, 203
—— ♀ complete sex reversal; normal ovaries; male chromatin pattern, 375
—— distribution re exoph. goiter in children, 138
—— distribution re struma lymphomatosa, 53
—— distribution re thyroid carcinoma, 162
—— influence on loss of body hair in old people, 1597
—— males and females; distribution of some 17-OH-CS between plasma and RBC in, 1411
—— males and females; effect of betaine on serum lipoproteins in, 770
—— males and females; effect of HCG on blood androgens and 17-OH-CS is, 1405
—— males and females; effect of hypnotically-induced anxiety on plasma hydrocortisone in, 700
—— males and females; excretion of 17-KGS in; response to zinc-ACTH i.m., 907
—— males and females; ICSH excretion as det'd by seminal vesicle-colchicine test, 980
—— males and females; *in vitro* RBC uptakes of T_3^{131} in, 103, 1292
—— males and females; 17-KS, dehydroepiandrosterone and 17-OH-CS of serum by simplified method, 1162
—— males and females; lack of diurnal variation in serum PBI, 1495
—— males and females; levels of plasma cortisol foll'g oral and i.v. admin., 219
—— males and females; metacarpal sign in, 1312
—— males and females; normal values for chemically det'd aldosterone in urine, 1302
—— men and women; aldosterone excretion in, 1151
—— men and women; urinary β-cortolone in, 819
—— men, women, children; taurine excretion in 1126
—— ratio in thyroid acropachy, 1323
—— reproductive processes in nature; origin of hormones, 1563
—— reversal, *see also* Ovary; Testis
SEXUAL PRECOCITY: *see* Adrenal disorders; Ovary; Testis; Puberty, precocious
SEXUALITY: *see* Sex
SIMMONDS' DISEASE: *see* Pituitary disorders, hypopituitarism
SKIN: *see also* Hair; Pigment; and re various diseases
—— of frog; monthly sensitivity in melanophore test, 1553
—— sex chromatin in cells of: *see* Sex
SLEEP: *see also* Brain; Diurnal
—— effect on plasma 17-OH-CS, 432
—— sleep therapy, prolonged; effect on iodine metabolism, 692
—— sonambulistic hypnotic state; anxiety induced in; effect on plasma hydrocortisone, 700
SODIUM: *see also* Electrolytes; Potassium
—— and K excretion; effect of i.v. *dl*-aldosterone acetate on, 289
—— balance in pituitary dwarf treated with human growth hormone, 759
—— balance in pregnancy and the puerperium, 403
—— balance in pure primary hyperaldosteronism, 1081
—— excretion; acute effects of parathyroid extract on, 681
—— excretion in study of anabolic steroids, 921
—— low-sodium diet; stim. of aldosterone secretion by ACTH during, 1185
—— metabolism in aldosterone deficiency, 1023
—— Na/K ratio; effect of zinc-ACTH on, 711
—— natriuretic response to a steroidal lactone (SC-9420); role of K in, 1683
—— sodium chloride, renal excretion of; influence on excretion of Mg and other ions, 1192
—— sodium-retaining substances: *see also* Adrenal preps. & comps.
SOFT TISSUE: *see also* Eyes; Fingers; Muscle
—— soft-tissue and bony changes in thyroid disease, 1323
SOLID CARCINOMA of the thyroid: *see* Thyroid disorders
SPERMATOZOA: *see* Testis
SQUIBB FELLOWSHIP: *see* Endocrine Society, awards
STEIN-LEVENTHAL SYNDROME: *see* Virilization; Ovary; National Inst. Health
STERILITY: *see* Menstruation; Ovary; Pregnancy; Testis

STEROIDS
—— adrenal steroids: *see* Adrenal preps. & comps.
—— aldosterone: *see* Adrenal preps. & comps.
—— anabolic; structure-activity relationships; role of 19-methyl group, 921
—— androgens: *see* Androgens
—— C-21 methyl corticosteroids and 17-KS in adrenogenital syn. *vs.* adrenal tumor, 1608
—— corticoids; corticosteroids: *see also* Adrenal preps. & comps.
—— cortisone: *see* Adrenal preps. & comps.
—— determination of: *see also* Methods
—— estrogens: *see* Estrogens
—— etiocholanolone; possible presence in serum of boy with periodic fever and congenital ad. hyperplasia, 266
—— etiocholanolone: *see also* Adrenal preps. & comps.; Androgens
—— fluorocorticoids: *see* Adrenal preps. & comps.
—— hydrocortisone: *see* Adrenal preps. & comps.
—— 11-β-hydroxy-Δ^4-androstene-3,17-dione; metabolite pattern of, in congenital ad. hyperplasia, 1575
—— 17-hydroxycorticosteroids (17-OH-CS): *see* Adrenal preps. & comps.
—— 17-ketogenic steroids (17-KGS): *see* Adrenal preps. & comps.
—— 17-ketosteroids: *see* Steroids, separate category; also Adrenal preps. & comps.
—— pregnanediol and pregnanetriol: *see* Pregnanediol; Pregnanetriol
—— progesterone: *see* Progesterone
—— sex steroids: *see* Androgens; Estrogens; Progesterone
—— steroid half-life values; interpretation of, 854
—— steroidal lactone (SC-9420); role of K in Na response to, 1683
—— steroidal pattern in pure primary hyperaldosteronism, 1081
—— urinary steroids, especially pregnanetriolone, in 10 cases of adrenal ca., 608

17-KETOSTEROIDS
—— and 17-KGS in Cushing's syndrome, 1471
—— chromatographic fractions of in unusual case of ad. dysfunction in the male; effect of ACTH & prednisone, 1506
—— effect of CG and cortisone on in girl with congenital ad. hyperplasia, 847
—— effect of CG on in Klinefelter's syn., 1667
—— effect of CG on in normal, eunuchoid and adrenal-deficient men, 1399
—— effect of dexamethasone *vs.* prednisone on in adrenogen. syndrome, 1503
—— excessive excretion of, in precocious puberty+hepatoma, 1651
—— falsely elevated values during ingestion of TAO, 1350
—— following rectal infusion of cortisol, 444
—— in a case of complete sex reversal, 375
—— in acromegaly; effect of hypophysectomy, 1500

STEROIDS (*cont'd.*)
17-KETOSTEROIDS (*cont'd.*)
—— in Addison's disease+pregnancy, 263
—— in adrenocortical hyperplasia+metast. cancer of prostate, 967
—— in adrenogenital syndrome *vs.* adrenal tumor, 1608
—— in aldosterone deficiency, 1023
—— in bilat'y adrenalect'd woman with preeclampsia, 987
—— in bilharzial cirrhosis; effect of testosterone, 1626
—— in castrated *vs.* noncastrated men, 535, 1510, 1680
—— in Cushing's syn. treated by implant. of Y^{90} into the pituitary, 1144
—— in familial male pseudohermaphrodism, 1110
—— in female infants masculinized in assoc. with estrogenic therapy during gestation, 1004
—— in female twins with congen. virilizing ad. hyperplasia, 203
—— in infertile women treated with small doses of ad. steroids, 1069
—— in islet-cell ca. of pancreas+Cushing's syn., 1134
—— in man with estrogen-secreting IC tumor of testis and transient recurr. gynecomastia, 1331
—— in masculinization of female fetus due to certain oral progestins, 1369
—— in pituitary dwarf treated with human growth hormone, 759
—— in postpartum pituitary necrosis, 1420
—— in prostatic cancer; effect of norethandrolone on, 183
—— in pure primary hyperaldosteronism, 1081
—— in sisters with gonadal dysgenesis; response to CG, 995
—— in six-year-old girl with precoc. gonadotropin secretion and ad. hyperplasia, 844
—— in study of metabolism of hydrocortisone *vs.* prednisolone, 526
—— in surgical stress, 849
—— in ten cases of adrenal ca., 608
—— in two boys with mult. congen. abnormalities and spermatogenic precocity, 1103
—— in two brothers with Addison's dis., 726
—— in women with hirsutism, 252
—— low values in pituitary destruction +diabetes mell., 1642
—— of plasma; unusual pattern in boy with congen. ad. hyperplasia and periodic fever, 266
—— of serum; simplified method for simult. determination with 17-OH-CS and dehydroepiandrosterone, 1162
—— response to 48-hour ACTH test in thyroid dis., 895
—— response to SU-4885 in new test for pituitary reserve, 875

STILBESTROL: *see* Estrogens
STOMACH: *see* Gastro-intestinal tract

STRESS: *see also* Mental; Surgery
—— anxiety: *see* Mental
—— dying patients; increased excretion of catechol amines in, 1037
—— sudden death and surgical operations; TSH content of hypophysis in cases of, 35
—— surgical; aldosterone deficiency discovered following, 1023
—— surgical; urinary 17-KS in, 849
STRONTIUM^{85} metabolism; effect of mytatrienediol on, 1581
STRUCTURE-ACTIVITY relationships of anabolic steroids; role of 19-methyl group, 921
STRUMA LYMPHOMATOSA: *see* Thyroid disorders
SU-4885
—— an adrenal inhibitor, in assessment of pituitary ACTH reserve, 1540
—— used in new test of pituitary reserve, 875
SUBJECT INDEX to Volume 19, 1708
SUBSTANCE S.: *see* Adrenal preps. & comps.
SUDDEN DEATH: *see* Stress
SUGAR: *see* Carbohydrate metabolism; Diabetes mell.; Insulin; Pancreas
SULFATION FACTOR activity of serum in pituitary disorders, 743
SULFUR: *see* Methimazole; Sulfation; Taurine; Thiocyanate; Thiouracil
SUPRAVENTRICULAR TACHYCARDIAS: *see* Heart
SURGERY: *see also* under organ involved
—— adrenalectomized patients: *see* Adrenal disorders
—— castrates: *see* Ovary; Testis
—— hypophysectomized patients: *see* Pituitary disorders
—— mortality and morbidity re thyroidectomy for exoph. goiter in children, 138
—— surgical findings in Hashimoto's thyroiditis and related disorders, 45, 53
—— surgical operations: adrenocort. response to, in patients pretreated with corticosteroids or ACTH, 1458
—— surgical stress; urinary 17-KS in, 849
—— surgical stress: *see also* Stress
SYNDROMES: *see also* under varicus endocrinopathies
—— adrenogenital: *see* Adrenal disorders
—— Cushing's: *see* Cushing's syndrome
—— familial syndromes: *see* Familial
—— Klinefelter's: *see* Testis
—— Stein-Leventhal: *see* Ovary; Virilization; National Insts. of Health
—— Turner's: *see* Ovary, dysgenesis

TACHYCARDIA: *see* Heart
TAO: *see* Triacetyloleandomycin
TAPAZOLE: *see* Methamizole
TAURINE excretion; factors influencing, 1126
TBG (thyroxine-binding globulin): *see* Thyroid preps. & comps.; Protein
TBP (thyroxine-binding protein): *see* Thyroid preps. & comps.; Protein
TEMPERATURE
—— basal body, in study of cornification in vaginal, buccal and urinary smears, 281
—— basal, in anovulatory women; effect of i.v. progesterone, 732
TEMPERATURE (*cont'd.*)
—— body; effect on plasma 17-OH-CS, 432
—— fever, periodic, and congenital ad. hyperplasia; unusual plasma 17-KS pattern (?etiocholanolone), 266
—— fever; TSH content of hypophysis in cases of, 35
—— heat; effect on assay of melanophore hormone, 1553
—— infections; increased excretion of catechol amines in, 1037
TEN-MINUTE uptake of I^{131}: *see* Iodine, radioactive
TESTIS: *see also* Androgens; Gonadotropins; Prostate; Steroids
—— castrated and intact men; 17-KS in, 1510, 1680
—— castrated and non-castrated men with prostatic cancer; effect of norethandrolone on 17-KS in, 183
—— castrated *vs.* intact, and feeble-minded *vs.* normal men; urinary 17-OH-CS and 17-KS in, 535
—— castration; remarks on history of, 1563
—— chromosomal sex: *see* Sex
—— cryptorchidism, unilateral, with spermatogenic precocity in the descended testis, hypertelorism & polydactyly in 2 boys; (testicular biopsies), 1103
—— disorders secondary to hypopituitarism: *see* Pituitary disorders
—— effect of CG on in Klinefelter's syndrome (Leydig and secretory cells), 1667
—— genetic sex: *see* Sex
—— gonadal disorders; ICSH excretion in, by seminal vesicle-colchicine test, 980
—— gonadotropin: *see* Gonadotropins
—— interstitial-cell, estrogen-secreting tumor; transient recurrent gynecomastia after removal of, 1331
—— Klinefelter's syndrome and gonadal dysgenesis; metacarpals in, 1312
—— male pseudohermaphrodism, familial, with labial testes and partial feminization; endocrine and genetic aspects (histology of gonads), 1110
—— male urine; assay of HPG in, 518
—— males; plasma hydrocortisone response to hypnotically-induced anxiety, 700
—— normal male; taurine excretion in; effect of high-protein and high-alcohol intakes, 1126
—— normal males: *see also* Sex, comparisons
—— old men; loss of body hair in, 1597
—— precocious puberty and hepatoma, 1651
—— prostate: *see* Prostate
—— seminiferous tubules; oocytes in; bilat. ovotestes, 1661
—— steroids: *see* Androgens; Steroids
—— testicular capacity; plasma androsterone conc. as test for, 1405
—— testicular origin of some urinary pregnanetriol; studies in normal, eunuchoid, and adrenal-deficient men, 1399
—— unusual case of adrenal dysfunction in the male; effect of ACTH and prednisone, 1506

TESTIS (*cont'd.*)
—— young and elderly men; urinary β-cortolone in, 819
—— young men; comparative study of hydrocortisone and prednisolone in, 526
TESTOSTERONE and compounds: *see* Androgens; Steroids
TESTS: *see also* Methods
—— ACTH test: *see* Pituitary preps. & comps., ACTH
—— cytologic (chromatin) for genetic sex: *see* Sex
—— diagnostic test of thyroid function; *in vitro* erythrocyte uptake of I^{131}-labeled T_3, 103, 1292
—— for adrenal function: *see also* Adrenal physiol. & path., preps & comps.
—— for adrenal hyperplasia *vs.* tumor, based on pregnanetriolone excretion, 608
—— for thyroid function; ten-minute I^{131} uptake compared with others, 557
—— glucose (sugar) tolerance: *see* Carbohydrate metabolism; Diabetes mell.
—— insulin tolerance: *see* Insulin
—— liver function test; 17-KS excretion as, 1626
—— new test (SU-4885) of pituitary reserve, 875, 1540
—— parotid fluid 17-OH-CS content as test for adrenocort. function, 1477
—— pregnancy: *see* Gonadotropins, chorionic; Pregnancy
—— seminal vesicle-colchicine test for det'n of pituitary ICSH in urine, 980
—— thyroid function: *see also* Thyroid, physiol. & path., preps. & comps.; Iodine
TETANY: *see* Calcium; Parathyroids, hypoparathyroidism
TETRAHYDROCORTISOL (THF); TETRAHYDROCORTISONE (THE): *see* Adrenal preps. & comps.
TETRAIODOTHYROPROPIONIC ACID: *see* Thyroid preps. & comps.
THIOCYANATE
—— effect on thyroidal and serum I^{131} in goitrous cretins, 638
—— effect on trapped iodide in thyroid of congen. goitrous cretin, 1446
THIOURACIL
—— propylthiouracil; effect in P^{32} study of thyroidal cellular metabolism 306
—— propylthiouracil; effect on rate of thyroidal loss of I^{131} in hypophysect'd patients; action of TSH, 19
—— propylthiouracil - treated thyrotoxic glands; activity of iodotyrosine deshalogenase in, 1282
THYROID: *see also* Antithyroid drugs; Iodine
DISORDERS
—— absence of goiter but high I^{131} uptake in Venezuelan Indians, 1440
—— adenomas; development of, in 2 hypophysect'd women, 717
—— cancer and nodular goiter; thyroidal cellular metab. studied by P^{32}, 306
—— carcinoma; parenchymal findings in 256 cases, 162
THYROID (*cont'd.*)
DISORDERS (*cont'd.*)
—— diseased and normal thyroids; activity of iodotyrosine deshalogenase in, 1282
—— goiter, deafmutism and mental retardation correlated with PBI & BEI in noncretins of severe endemic goiter area in India, 228
—— goitrous cretins; iodine metab. in, 638
—— hyperthyroidism and hypothyroidism: *see* separate category for each under Thyroid disorders
—— lingual goiter; treatment with triiodothyronine, 33
—— lymphocytic (Hashimoto's) thyroiditis; effect of desicc. thyroid in, 45
—— medullary (solid) carcinoma of the thyroid—a clinicopathologic entity, 152
—— struma lymphomatosa (Hashimoto) and related thyroid disorders, including neoplasms; clinicopath. study, 53
—— struma lymphomatosa (Hashimoto); 3 cases in one family, 1121
—— ten-minute I^{131} uptake in, 557
—— thyroid acropachy, 1323
—— thyroid nodules occurring in children foll'g I^{131} therapy for hyperthyroidism, 127
—— thyroiditis, colloid g., and carcinoma; acid mucopolysaccharide content of thyroid in, 257
—— various; effect of stable iodide on I^{131} uptake in, 567
Hyperthyroidism (exophthalmic goiter; Graves' disease; thyrotoxicosis; toxic adenoma)
—— associated with thyroid cancer, 162
—— basal metabolism: *see also* Basal metabolism
—— effect of triiodothyronine and thyroxine upon release of thyroid hormone in, 317
—— effect of TSH on turnover of thyroxine & triiodothyronine as applied to hyperthyroidism, 733
—— effects of varying amts. of stable iodide on thyroid function in, 567
—— exophthalmic goiter; acid mucopolysaccharide content of thyroid in, 257
—— exophthalmic goiter in children, 138
—— exophthalmos; relation of abnormal TSH to, 699
—— Graves' disease during course of Addison's disease, 1497
—— Graves' disease; effect of *dl*-3,3′,5′-triiodothyronine on BMR and heart rate in, 1344
—— Graves' disease; effects of hypophysectomy on thyroid function in, 840
—— Graves' disease; thyroidal cellular metab. studied by P^{32}, 306
—— hyperthyroid patient; excretion of androsterone and etiocholanolone in, 936
—— hyperthyroid patients; distrib. of serum radioiodinated compounds in foll'g hypophysectomy, 953
—— hyperthyroidism; adrenocort. response to 48-hour ACTH test in, 895

THYROID (*cont'd.*)
DISORDERS (*cont'd.*)
Hyperthyroidism (cont'd.)
—— hyperthyroidism; cells of adenohypophysis in, 958
—— hyperthyroidism in children; occurrence of thyroid nodules foll'g I^{131} therapy for, 127
—— hyperthyroidism *vs.* severe heart disease; I^{131} thyroid function data, 949
—— iodine in treatment of: *see* Iodine
—— malignant, edematous exophthalmos treated by implant'n of pituitary with Y^{90}, 583
—— maternal hyperthyroidism; effect on fetus, 1
—— protein-bound iodine (PBI) of serum in: *see also* Iodine
—— radioactive iodine in study and treatment of: *see* Iodine, radioactive
—— serum pattern of thyroid hormones in, 548
—— serum TBG and PBI in, 84
—— taurine excretion in woman with, 1126
—— ten-minute I^{131} uptake; comparison with other tests of thyroid function, 557
—— thyroid autoantibodies in woman treated with I^{131}, 179
—— thyroid-stimulating hormone (TSH) in: *see* Pituitary preps. & comps.
—— thyroidal uptake of I^{131} in: *see also* Iodine, radioactive
—— thyrotoxic patients rendered euthyroid with propylthio. & Lugol's; iodotyrosine deshalogenase activity in, 1282
—— thyrotoxicosis and thyroid adenoma; development of, foll'g hypophysectomy, 717
—— thyrotoxicosis; effect of TSH on I^{131} uptake in, 1252
—— thyrotoxicosis; *in vitro* RBC uptake of I^{131}-*l*-T_3 in, 130, 1292
—— treated Graves' disease; development of acropachy, 1323
—— TSH content of hypophysis in, 35
Hypothyroidism (cretinism: myxedema)
—— athyrotic patients, treated and untreated; effect of estrogen on circ'g thyroid hormone in, 783
—— congenital goitrous cretinism; defect of iodinating system in, 1446
—— cretinism and goiter, endemic area in India; correlation of deafmutism, mental retardation and goiter with serum PBI & BEI among non-cretinous inhabitants, 228
—— cretins, goitrous; iodine metabolism in, 638
—— cretins; thyroid function in the mothers of, 1
—— effect of thiocyanate: *see* Thiocyanate
—— in an unusual case of idiopathic hypoparathyroidism & adrenal insuff'y, 1633
—— in postpartum pituitary necrosis, 1420

THYROID (*cont'd.*)
DISORDERS (*cont'd.*)
Hypothyroidism (cont'd.)
—— *in vitro* erythrocyte uptake of I^{131}-labeled T_3 in, 103, 1292
—— incidence of, foll'g operation for struma lymphomatosa, 53
—— incidence of, foll'g subtot. thyroidectomy for exoph. goiter in children, 138
—— maternal hypothyroidism; effect on fetus, 1
—— myxedema; adrenocortical response to 48-hour ACTH test in, 895
—— myxedema and cretinism; cells of adenohypophysis in, 958
—— myxedema; effect of androsterone on hypercholesterolemia in, 936
—— myxedema; effect of triiodothyronine on excretion of androsterone and etiocholanolone in, 936
—— myxedema; 17-OH-CS response to SU-4885 in new test of pituitary reserve, 875
—— myxedema plus lingual goiter; treatment with triiodothyronine, 363
—— myxedema; TSH in serum, 831
—— myxedematous and athyroid patients; effect on TSH on turnover of T_4 and T_3 in, 733
—— pretibial myxedema versus thyroid acropachy, 1323
—— primary hypothyroidism *vs.* severe heart disease; I^{131} thyroid function data, 949
—— protein-bound iodine (PBI) of serum: *see* Iodine
—— rate of disappearance of ACTH from plasma in, 1491
—— serum TBG and PBI in, 84
—— ten-minute I^{131} uptake valueless in diagnosis, 557
—— the families of cretins; thyroid autoantibodies in, 179
—— thyroidal uptake of I^{131} in: *see* Iodine, radioactive
—— treatment of, with thyroid compounds: *see also* Thyroid preps. & comps.
—— TSH content of hypophysis in, 35
PHYSIOLOGY & PATHOLOGY
—— alterations of thyroid function in severe heart disease, 949
—— antibody tests for struma lymphomatosa (3 cases in one family), 1121
—— assay of thyroidal and renal function in diabetes, 330
—— autoantibodies, 179
—— changes in the thyroid of children with exoph. goiter, 138
—— clinicopathologic entity—medullary carcinoma of the thyroid, 152
—— clinicopathologic studies of Hashimoto's thyroiditis and related thyroid disorders, 45, 53
—— effect of maternal thyroid function on that of the fetus, 1
—— elevated I^{131} uptake in absence of goiter, 1440

THYROID (*cont'd.*)
PHYSIOLOGY & PATHOLOGY
—— fetal thyroids; development of hormonal biosynthesis in, 1437
—— function; effect of hypophysect'y on in Graves' dis., 840
—— function; effect of TSH on; time- and dose-response relationships, 28
—— function in case of Cushing's syn. treated with implant'n of Y^{90} into the pituitary, 1144
—— function; neural control; effect of prolonged sleep and chlorpromazine on, 692
—— function; studies of: *see also* Iodine, radioactive; Thyroid preps. & comps.
—— function tests; comparison with 10-minute uptake of I^{131}, 557
—— histologic and autoradiographic study of thyroids in goitrous cretins, 638
—— histology and acid mucopolysaccharide content of the thyroid; effect of TSH, 257
—— histology of goiter in congenital goitrous cretinism, 1446
—— hormone: *see also* Thyroid preps. & comps.
—— oxyphilia of acinar epithelium in struma lymphomatosa; 3 cases in one family, 1121
—— parenchymal findings in 256 cases of thyroid carcinoma, 162
—— pathologic studies: *see also* Thyroid disorders
—— plasma protein-thyroid hormone complex, 84, 103, 485
—— protein-bound iodine of serum: *see* Iodine
—— radioiodine in study of: *see* Iodine, radioactive
—— rate of release of thyroid hormone; effect of triiodothyronine and thyroxine on, 317
—— thyroid-androgen interrelationships, 936
—— thyroid glands, normal & diseased, activity of iodotyrosine deshalogenase in, 1282
—— thyroid, liver and serum TBP; functional relationships, 466
—— thyroid nodules in children foll'g I^{131} therapy for hyperthyroidism, 127
—— thyroid-stimulating hormone (TSH): *see* Pituitary preps. & comps.
—— thyroidal accum. and renal clearance of I^{131}; failure of diethylstilbestrol to affect, 1245
—— thyroidal accum. of I^{131}; effect of TSH on in thyrotoxicosis, 1252
—— thyroidal cellular metabolism studied by P^{32}; thyroid-serum ratios, 306
—— thyroidal I^{131} uptake; daily variations in, 632
—— thyroidal I^{131} uptake: *see also* Iodine, radioactive
PREPARATIONS & COMPOUNDS
—— desiccated thyroid; effect in Hashimoto's thyroiditis, 45

THYROID (*cont'd.*)
PREPARATIONS & COMPOUNDS (*cont'd.*)
—— I^{131} in study of: *see also* Iodine, radioactive
—— I^{131}-labeled thyroxine, diiodo- and triiodothyronine, and acetic-acid analogues; study of serum pattern of thyroid hormones in euthyroidism and hyperthyroidism, 548
—— I^{131}-thyroid hormone; effects of varying amounts of stable iodide on; triidodthyronine inhibition test, 567
—— *in vitro* erythrocyte uptake of T_3^{131} as diagnostic test of thyroid function: effect of various conditions and forms of therapy, 103
—— iodotyrosine deshalogenase activity in normal and diseased thyroids, 1282
—— large doses of thyroid admin'd to mothers; effect on thyroid function in infants, 1
—— mono- and diiodotyrosine; defect in formation of by thyroid of congen. goitrous cretin, 1446
—— mono- and diiodotyrosine, triiodothyronine and thyroxine; synthesis of in fetal thyroids, 1437
—— radioactive thyroxine and tetraiodothyropropionic acid in study of TBG, 485
—— radioactive *l*-thyroxine, plasma turnover of, and PBI; effect of prolonged sleep therapy and of chlorpromazine on, 692
—— radioiodinated thyroglobulin, thyronines and tyrosines in goitrous cretins, 638
—— radiothyroxine; turnover in liver disease, 466
—— sodium *l*-thyroxine therapy in pituitary dwarfism, 759
—— thyroid hormone, circ'g; effect of estrogen and testosterone on, 783
—— thyroid hormone release rate; effect of TSH on, 28
—— thyroid therapy in boy treated with ACTH for Hand-Schüller-Christian disease; advance in bone age, 239
—— thyronine and iodide in serum of euthyroid and hyperthyroid patients; effect of hypophysectomy, 953
—— thyroxine and triiodothyronine; effect of TSH on turnover rates of, 733
—— thyroxine; effect on serum lipoproteins and cholesterol, 117
—— thyroxine^{131} infusion; turnover in supraventric. tachycardias, 92
—— thyroxine-binding capacity of serum and thyroxine survival time; effect of estrogen and androgen, 783
—— thyroxine-binding capacity of serum globulin in various disorders; simplified technique, 84
—— thyroxine-binding globulin of serum; a euthyroid man without, 485
—— thyroxine-binding protein of serum, the liver and the thyroid; relationships, 466
—— *l*-triiodothyronine and des. thyroid;

THYROID (*cont'd.*)
PREPARATIONS & COMPOUNDS (*cont'd.*)
effect in P^{32} study of thyroidal cellular metab., 306
—— triiodothyronine and thyroxine; effect on release of thyroid hormone in various thyroid states, 317
—— triiodothyronine; effect on androsterone production in myxedema and euthyroidism, 936
—— *dl*-3,3',5'-triiodothyronine; effect on BMR and heart rate in Graves' disease, 1344
—— 3:5:3'-triiodothyronine; effect on Ca and P metab. in psychiatric patients, 454
—— triiodothyronine; effect on I^{131} uptake in Addison's disease complicated by Graves' disease, 1497
—— triiodothyronine; erythrocyte uptake of in hyperthyroid pregnant woman, 1
—— triiodothyronine^{131}; erythrocyte uptake of in supraventricular tachycardias, 92
—— triiodothyronine in the treatment of lingual goiter, 363
—— *l*-triiodothyronine^{131}; *in vitro* erythrocyte uptake of; experience with in routine clin. laboratory, 1292
—— triiodothyropropionic acid; depression of serum cholesterol by; effect on BMR, 490
THYROID-STIMULATING HORMONE (TSH): *see* Pituitary preps. & comps.
THYROIDITIS: *see* Thyroid disorders
THYRONINES: *see* Thyroid preps. & comps.
THYROTOXICOSIS: *see* Thyroid disorders, hyperthyroidism
THYROTROPIC HORMONE; THYROTROPIN (TSH): *see* Pituitary preps. & comps.
THYROXINE: *see* Thyroid preps. & comps.
THYROXINE-BINDING GLOBULIN (TGB); THYROXINE-BINDING PROTEIN (TBP): *see* Thyroid preps. & comps.
TOXEMIA of pregnancy: *see* Pregnancy
TOXIC ADENOMA; TOXIC GOITER: *see* Thyroid disorders, hyperthyroidism
TRAINING PROGRAMS: *see* Endocrine Society, Fellowships; National Institutes of Health
TRANSAMINASE: *see* Enzymes
TRIACETYLOLEANDOMYCIN (TAO); falsely elevated values for urinary 17-KS and 17-OH-CS during ingestion of, 1350
TRIIODOTHYRONINE: *see* Thyroid preps. & comps.
TRIIODOTHYROPROPIONIC ACID: *see* Thyroid preps. & comps.
TSH: *see* Pituitary preps. & comps.
TUMORS: *see also* Cancer; and under organ involved
—— adrenal: *see* Adrenal disorders; Cushing's syndrome
—— arrhenoblastoma, virilizing; metab. of progesterone-4-C^{14} by, 297
—— chromaffin tumors; increased urinary catechol amines in absence of, 1037
—— estrogen-secreting interstitial-cell tumor of testis: *see* Testis
—— function of, studies by radioiodine: *see* Iodine, radioactive
TUMORS (*cont'd.*)
—— goiter: *see* Thyroid disorders
—— hepatoma (assayed for gonadotropin) and precocious puberty, 1651
—— interstitial-cell: *see* Testis
—— islet-cell carc. of pancreas with Cushing's syn., 1134
—— of pituitary in Cushing's syndrome, 1523
—— pheochromocytoma; epinephrine and norepinephrine content of, 351
—— sarcoidosis; hypercalciuria and Ca metab. in; new suggestion, 658
TURNOVER RATES: *see* Thyroid preps. & comps.; Iodine, radioactive
TWINS, identical; congenital virilizing adrenal hyperplasia in, 302
TYROSINES: *see* Thyroid preps. & comps.

ULCERATIVE COLITIS: *see* Gastro-intestinal tract
UNIVERSITY OF CALIFORNIA; co-sponsor with The Endocrine Society, of the Postgraduate Assembly in Endocrinology and Metabolism: *see* Endocrine Society
UNIVERSITY OF TEXAS and M. D. Anderson Hospital, Houston; Symposium on Fundamental Cancer Research, 1522
UPJOHN SCHOLAR: *see* Endocrine Society awards
UREMIA: *see* Kidney
URIC ACID
—— effect of glucagon on renal excretion of, 1274
—— of serum during pre-eclampsia in bilat'y adrenalect'd woman, 987
URINE *see also* Kidney
—— adrenocortical metabolites: *see* Adrenal preps. & comps.
—— androgens: *see* Androgens; Steroids
—— calcium: *see* Calcium; Electrolytes; Parathyroids
—— catechol amines: *see* Adrenal preps. & comps., epinephrine, norepinephrine
—— chemical determination of aldosterone in, 1302
—— chloride: *see* Sodium; Electrolytes
—— chorionic gonadotropin: *see* Gonadotropins; Pregnancy
—— constantly acid urine and ability to concentrate in case of ad. hyperplasia+metast. prostatic cancer with hypokaliemic alkalosis and inc'd urinary aldosterone, 967
—— corticosteroids (corticoids): *see* Adrenal preps. & comps.
—— β-cortolone: *see* Adrenal preps. & comps.
—— determination of aldosterone in, 1151
—— diabetes insipidus: *see* Pituitary disorders
—— diuresis: *see* Kidney; Pituitary preps. & comps. (ADH, vasopressin, post. pit. extract); Water
—— electrolytes: *see* Electrolytes
—— estrogens: *see* Estrogens
—— flow; acute effects of parathyroid extracts on, 681
—— follicle-stimulating hormone (FSH): *see* Gonadotropins

URINE (*Cont'd.*)
—— glucose: *see* Carbohydrate metabolism; Diabetes mell.; Insulin
—— gonadotropin: *see* Gonadotropins
—— 17-hydroxycorticosteroids (17-OH-CS): *see* Adrenal preps. & comps.
—— hypercalciuria: *see* Calcium
—— in pregnancy: *see* Gonadotropins; Pregnancy
—— interstitial-cell stimulating hormone (ICSH): *see* Gonadotropins
—— iodine compounds: *see* Iodine
—— 17-ketogenic steroids (17-KGS); *see* Adrenal preps. & comps.; Steroids
—— 17-ketosteroids (17-KS): *see* Steroids, 17-KS
—— 17-OH-CS: *see* Adrenal preps. & comps.
—— methods for determination of constituents: *see* Methods
—— nitrogen: *see* Nitrogen; Protein; Uric acid
—— phosphorus: *see* Phosphorus
—— post-hypophysectomy polyuria in acromegaly, 1500
—— potassium: *see* Potassium; Electrolytes
—— pregnanediol and pregnanetriol: *see* Pregnanediol; Pregnanetriol
—— radioactive compounds: *see* Radioactive; Iodine, radioactive
—— renal function: *see* Kidney
—— sodium: *see* Sodium; Electrolytes
—— steroids: *see* Adrenal preps. & comps.; Androgens; Estrogens; Pregnanediol; Pregnanetriol; Steroids
—— sugar: *see* Carbohydrate metabolism; Diabetes mell.; Insulin
—— THF, ATHF and THE: *see* Adrenal preps. & comps.; Steroids
—— total solute conc. after subcortical stimulation of brain, 1346
—— urinary calcium; influence on intestinal absorp. of Ca, 658
—— urinary sediment, vaginal and buccal smears; effect of estrogen on cornification in 281
—— volumes and osmolarity in hypophysect'd pregnant woman treated with Pitressin, 369
UTERUS AND VAGINA: *see also* Ovary
—— endometrial bleeding in anovulatory women after i.v. progesterone, 732
—— fetus: *see* Pregnancy
—— menstruation: *see* Menstruation
—— mucosal smears, in case of complete sex reversal, 375
—— placenta: *see* Pregnancy
—— pregnancy: *see* Pregnancy
—— vaginal smears: *see also* Estrogens; Menstruation; Ovary
—— woman with no uterus or vagina, but active ovaries; vaginal, buccal and urinary smears; effect of estrogen on cornification in, 281

VAGINA: *see* Uterus and Vagina
VAN METER PRIZE AWARD: *see* American Goiter Association, awards

VASCULAR SYSTEM: *see also* Blood; Heart
—— arteriosclerotic men; depression of serum cholesterol in by triiodothyropropionic acid, 490
—— blood pressure; effect of thyroxine on, 117
—— generalized vasodilatation produced by parathyroid extract, 681
—— hypertension and CVA; effect of betacyamine on serum lipoproteins in, 770
—— hypertension in case of adrenogenital syndrome; excretion of C-21 methyl corticosteroids in, 1608
—— hypertension in pedigree of family with pheochromocytoma, 351
—— hypertension (persistent) of pre-eclampsia in bilat'y adrenalect'd woman, 987
—— hypertensive patients; substance S in adrenal venous blood of, 812
—— role in pituitary destruction in diabetes mellitus, 1642
VASOPRESSIN: *see* Pituitary preps. & comps. (ADH, Pitressin, post. pit. extract)
VENEZUELAN
—— Congress on Obstetrics & Gynecology, 1368
—— Indians; elevated thyroidal I^{131} uptake in absence of goiter, 1440
17-α-VINYL derivatives of 19-nortestosterone: *see* Androgens
VIRILIZATION: *see also* Adrenal disorders; Androgens; Hair; Ovary; Testis
—— adrenogenital syndrome: *see* Adrenal disorders
—— associated with adrenal disease: *see* Adrenal disorders; Cushing's syndrome
—— fetal masculinizing action of certain oral progestins, 1369
—— lack of correlation with pregnanetriolone and 17-KS excretion in adrenal ca., 608
—— masculinization of female infant in assoc. with estrogen therapy during gestation, 1004
—— virilizing adrenal adenoma *vs.* adrenogenital syndrome; excretion of three C-21 methyl corticosteroids in, 1608
—— virilizing arrhenoblastoma: *see* Ovary
—— virilizing congenital adrenal hyperplasia in identical twins, 203
VITAMINS
—— D_2 (new i.v. preparation) in treatment of hypoparathyroidism resistant to A.T.10 and oral calciferol, 224
—— D_2; unusual response to, in idiopathic hypoparathyroidism, 590
—— D-induced versus sarcoid hypercalciuria; suggestion re calcium metabolism, 658
VOCAL CORD paralysis: *see* Nervous system, recurr. laryng. nerve; Thyroid disorders, surgical treatment

WATER: *see also* Kidney; Urine
—— antidiuretic hormone: *see* Pituitary preps. & comps. (ADH, Pitressin, vasopressin, post. pit. extract)
—— clearance in hypophysect'd woman with diabetes insip.; effect of pregnancy, 369

WATER (*cont'd.*)
—— deprivation tests in patients with diabetes insip. during pregnancy and lactation, 805
—— diabetes insipidus: *see* Pituitary disorders
—— edema; acute effects of parathyroid extract in, 681
—— edema, intractable; stimulation of aldosterone secretion by ACTH in, 1185
—— fluid balance in pregnancy and the puerperium, 403
—— results of water test in aldosterone deficiency, 1023
—— RKP water test in postpartum pituitary necrosis, 1420

X-RAY: *see* Roentgen ray

XANTHOMA, tuberosum or tendinosum; effect of betacyamine on serum lipoproteins in, 770

YTTRIUM^{90}
—— implanted into pituitary in Cushing's syndrome, 1144
—— implanted into pituitary in treatment of malig. edematous exophthalmos, 583

ZINC
—— ACTH; effect on plasma and urinary steroids, Na/K ratio and eosinophil count, 711
—— ACTH, intramuscular: *see also* Pituitary preps. & comps., ACTH